

**The following is a section of a document properly cited as:**

Snyder, N., McGowan, P., Gilardi, J., and Grajal, A. (eds.) (2000) Parrots. Status Survey and Conservation Action Plan 2000–2004. IUCN, Gland, Switzerland and Cambridge, UK. x + 180 pp.

© 2000 International Union for Conservation of Nature and Natural Resources and the World Parrot Trust

It has been reformatted for ease of use on the internet . The resolution of the photographs is considerably reduced from the printed version.

If you wish to purchase a printed version of the full document, please contact:

**IUCN Publications Unit**

219c Huntingdon Road, Cambridge, CB3 0DL, UK.  
Tel: (44) 1223 277894 Fax: (44) 1223 277175  
Email: info@books.iucn.org

**The World Parrot Trust**

Order on-line at:  
[www.worldparrottrust.org](http://www.worldparrottrust.org)

**World Parrot Trust UK**

Glanmor House  
Hayle, Cornwall  
TR27 4HB, United Kingdom  
Tel: (44) 1736 753365  
Fax (44) 1736 751028

**World Parrot Trust USA**

PO Box 353  
Stillwater, MN 55082  
Tel: 651 275 1877  
Fax: 651 275 1891

**Island Press**

Box 7, Covelo, California 95428, USA  
Tel: 800 828 1302, 707 983 6432 Fax: 707 983 6414  
E-mail: ipwest@igc.apc.org  
Order on line: [www.islandpress.org](http://www.islandpress.org)

---

The views expressed in this publication are those of the authors and do not necessarily reflect those of IUCN or the Species Survival Commission.

Published by: IUCN, Gland, Switzerland, and Cambridge, UK.

Copyright: © 2000 International Union for Conservation of Nature and Natural Resources and the World Parrot Trust

**IUCN**  
The World Conservation Union



Reproduction of this publication for educational and other non-commercial purposes is authorised without prior written permission from the copyright holders provided the source is fully acknowledged.

Reproduction of this publication for resale or other commercial purposes is prohibited without prior written permission of the copyright holders.

Citation: Snyder, N., McGowan, P., Gilardi, J., and Grajal, A. (eds.) (2000) Parrots. Status Survey and Conservation Action Plan 2000–2004. IUCN, Gland, Switzerland and Cambridge, UK. x + 180 pp.

ISBN: 2-8317-0504-5

Cover photo: Kakapo, *Strigops habroptilus*. Illustration from Parrots of the World courtesy of W.T. Cooper.

Produced by: The Nature Conservation Bureau Ltd, Newbury, UK.

Printed by: Information Press, Oxford, UK.

# References

- Ali, S. and Ripley, S.D. 1987. *Compact handbook of the birds of India and Pakistan together with those of Bangladesh, Nepal, Bhutan and Sri Lanka*. Second edition. OUP, Delhi.
- Allen, D. 1998. On the birds of Tawi Tawi Province in the Philippines. *Bulletin of Tsurumi University* 35: 77–141.
- Allendorf, F.W. 1993. Delay of adaptation to captive breeding by equalizing family size. *Conserv. Biol.* 7: 416–419.
- Amato, G. 1995. *Report on molecular genetic assessment of subspecies status for Amazona barbadensis*. Unpublished report to the Wildlife Conservation Society, New York.
- Andrew, D. and Palliser, T. 1993. Observations of Scarlet-chested Parrots. *Wingspan* 10: 4–5.
- Andrew, P. 1992. *The birds of Indonesia: a checklist (Peters' sequence)*. Indonesian Ornithological Society, Jakarta.
- Andrew, P. and Holmes, D.A. 1990. Sulawesi bird report. *Kukila* 5: 4–26.
- Anon. 1993. *The red and blue lory*. TRAFFIC Southeast Asia File Report.
- AOU. 1983. *Check-list of North American Birds, Sixth Edition*. American Ornithologists' Union. Lawrence, Kansas.
- Arango, S. and Renjifo, L.M. 1993. *Identificación de áreas prioritarias de conservación en la región Toche (Tolima), Colombia*. Report to Fundación Herencia Verde – Wildlife Conservation Society, Cali, Colombia.
- Armstrong, D.P. and Mclean, I.G. 1995. New Zealand translocations: theory and practice. *Pacific Conserv. Biol.* 2: 39–54.
- Arndt, T. 1981. *Südamerikanische sittichekeilschwanzsittiche – freileben, haltung, zucht, arten*. Horst-Müller Verlag Walsrode, Bomlitz.
- Arndt, T. 1992. Die Papageien von Biak. *Papageien* 2: 61–65.
- Attrill, R. 1980. The status and conservation of the Bahamas Amazon *Amazona leucocephala bahamensis*. Pp.81–87 In: R.F. Pasquier (Ed) *Conservation of New World Parrots*. ICBP Tech. Publ. No. 1. ICBP/Smithsonian Inst. Press, Washington, DC.
- Balchin, C.S. and Toyne, E.P. 1998. The avifauna and conservation status of the Rio Nangaritz valley in Southern Ecuador. *Bird Conservation International*. 8:237–254.
- Balmford, A., Leader-Williams, N. and Green, M.J.B. 1995. Parks or arks: where to conserve large threatened mammals? *Biodiversity and Conservation* 4: 595–607.
- Barbour, T. 1923. *The birds of Cuba*. Memoirs of the Nuttall Ornithological Club Number 6. Nuttall Ornithological Club, Cambridge, Massachusetts.
- Baxter, T. 1997. The Cayman Islands. *Pitirre* 10: 120–122.
- Beck, B.B., Rapaport, L.G., Price, M.S. and Wilson, A. 1994. Reintroduction of captive-born animals. Pp.265–284 In: P.J.S. Olney, G.M. Mace and A.T.C. Feistner (Eds) *Creative conservation: interactive management of wild and captive animals*. Chapman and Hall, London.
- Beehler, B.M., Pratt, T.K. and Zimmerman, D.A. 1986. *Birds of New Guinea*. Princeton University Press. Princeton NJ.
- Begazo, A. 1996. Ecology and conservation of the yellow-faced parrotlet. *Cotinga* 6: 20–24.
- Beissinger, S.R. and Bucher, E.H. 1992a. Can parrots be conserved through sustainable harvesting? *BioScience* 42: 164–173.
- Beissinger, S.R. and Bucher, E.H. 1992b. Sustainable harvesting of parrots for conservation. Pp.73–115 In: S.R. Beissinger and N.F.R. Snyder (Eds) *New World parrots in crisis: solutions from conservation biology*. Smithsonian Institution Press, Washington, DC.
- Beissinger, S.R. and Snyder, N.F.R. (Eds) 1992. *New World parrots in crisis: solutions from conservation biology*. Smithsonian Institution Press, Washington, DC.
- Beissinger, S.R. and Westphal, M.I. 1998. On the use of demographic models of population viability in endangered species management. *J. Wildlife Management*. 62:821–841.
- Bencke, G.A. 1996. *The Ecology and conservation of the Blue-bellied parrot Triclaria malachitacea in forest fragments in Rio Grande do Sul, Brasil*. Final report to Loro Parque.
- Bernardes, A.T., Machado, A.B. and Raylands, A.B. 1990. *Fauna Brasileira Amenacada de Extincao*. Fundação Biodiversitas, Belo Horizonte, Brasil.
- Berry, R.J. 1980. Status of the St. Vincent Amazon breeding program at the Houston Zoological Gardens. Pp.209–214 In: R.F. Pasquier (Ed) *Conservation of New World Parrots, Conservation of New World Parrots*. ICBP Tech. Publ. No. 1. ICBP/Smithsonian Inst. Press, Washington, DC.
- Best, B., J. Krabbe, N., Clarke, C. T. and Best, A.L. 1995. Red-masked parakeet *Aratinga erythrogenys* and Grey-cheeked Parakeet *Brotogeris pyrrhopterus*: Two threatened parrots from Tumbesian Ecuador and Peru? *Bird Conservation International* 5:233–250.
- Best, B.J., Clarke, C.T., Checker, M., Broom, A.L., Thewlis, R.M., Duckworth, W. and McNab, A. 1993. Distributional records, natural history notes, and conservation of some poorly known birds from southwestern Ecuador and northwestern Peru. *Bull. Brit. Orn. Club* 113: 456–457.

- Bibby, C.J., Burgess, N.D. and Hill, D.A. 1992. *Bird census techniques*. Academic Press, London.
- Bishop, K.D. 1992. New and interesting records of birds in Wallacea. *Kukila* 6: 8–34.
- Biswas, B. 1959. On the parakeet *Psittacula intermedia* (Rothschild) [Aves: Psittacidae]. *J. Bombay Nat. Hist. Soc.* 56: 558–562.
- Bjork, R and Powell, G.V.N. 1994. *Intratropical migration by Ara ambigua: identifying habitat heterogeneity to protect biodiversity in lowland Tropical Wet Forest of Central America*. Report to the Wildlife Conservation Society.
- Bjork, R and Powell, G.V.N. 1995. Buffon's Macaw: some observations on the Costa Rican population, its lowland forest habitat and conservation. Pp.387–393 In: J. Abramson, B.L. Speer and J.B. Thomsen (Eds) *The Large Macaws: Their Care, Breeding and Conservation*. Raintree Publications, Fort Bragg, CA.
- Black, J.M. 1991. Reintroduction and restocking — guidelines for bird recovery programmes. *Bird Conservation International* 1: 329–334.
- Blakers, M., Davies, S.J.J.F. and Reilly, P.N. 1984. *The atlas of Australian birds*. Royal Australian Ornithologists' Union, Victoria.
- Blyth, J., Burbidge, A. and Boles, W. 1998. Report on an expedition to the western desert and East Pilbara areas in search of the night parrot *Pezoporos occidentalis*. *Eclectus* 3: 25–29. [Newsletter of the BIRDS Australia Parrot Association.]
- Boles, W.E., Longmore, N.W. and Thompson, M.C. 1994. A recent specimen of the Night Parrot *Geopsittacus occidentalis*. *Emu* 94: 37–40.
- Bosch, K. and Wedde, U. 1981. *Amazonen – freileben, haltung, zucht, arten*. Horst Müller-Verlag Walsrode, Bomlitz.
- Bourne, W.R.P. and David, A.C.F. 1983. Henderson Island, central South Pacific, and its birds. *Notornis* 30: 223–243.
- Boussekey, M. 1993. Der Rotsteisskakadu *Cacatua haematuropygia* – ein bedrohter Vogel. *Papageien* 6: 216–218.
- Boussekey, M. 1995. Conservation of the Red-vented cockatoo. *PsittaScene* 7: 7.
- Bowler, J. and Taylor, J. 1989. An annotated checklist of the birds of Manusela National Park, Seram (birds recorded on the Operation Raleigh Expedition). *Kukila* 4: 3–33.
- Bradley, P.E. 1986. *A report of a census of Amazona leucocephala caymanensis, Grand Cayman and Amazona leucocephala hesternae, Cayman Brac*. Cayman Islands Government Tech. Publ. No. 1. George Town, Grand Cayman.
- Brandon, K. 1996. *Ecotourism and conservation: a review of key issues*. Paper No. 033, Environment Department of the World Bank, Global Environment Division, Washington, DC.
- Brandt, A. and Machado, R.B. 1990. Area de alimentação e comportamento alimentar de *Anodorhynchus leari*. *Ararajuba* 1: 57:63.
- Bregulla, H.L. 1993. *The birds of Vanuatu*. Anthony Nelson, Oswestry, UK.
- Brooke, R.K. 1984. *South African Red Data Book – Birds*. South African Natural Sciences Progress Report No. 97.
- Brooks, T.M., Dutson, G., Gabutero, L. and Timmins, R. 1995c. Siburan – a key area for birds on Mindoro. *Bull. OBC* 21: 28–33.
- Brooks, T.M., Dutson, G.C.L., King, B. and Magsalay, P.M. 1995b. An annotated check-list of the forest birds of Rajah Sikatuna National Park, Bohol, Philippines. *Forktail* 11: 121–134.
- Brooks, T.M., Evans, T.D., Dutson, G.C.L., Timmins, R.J., Asane, D.L. and Toledo, A.G. 1992. The conservation status of the birds of Negros, Philippines. *Bird Conservation International* 2: 273–302.
- Brooks, T.M., Magsalay, P., Dutson, G. and Allen, R. 1995a. Forest loss, extinctions and last hope for birds on Cebu. *Bull. OBC* 21: 24–27.
- Brooks, T.M., Pimm, S.L. and Collar, N.J. 1997. Deforestation predicts the number of threatened birds in insular Southeast Asia. *Conservation Biology* 11: 382–394.
- Brown, P.B. 1989. *The swift parrot Lathamus discolor, a report on its ecology, distribution and status, including management considerations*. Department of Lands, Parks and Wildlife, Tasmania.
- Brown, P.B. and Wilson, R.I. 1984a. *The orange-bellied parrot recovery plan – management recommendations to the Governments of Tasmania, Victoria and New South Wales*. NPWS, Hobart.
- Brown, P.B. and Wilson, R.I. 1984b. The orange-bellied parrot. In: R.H. Groves and W.D.L. Ride (Eds) *Species at Risk*. Australian Academy of Science, Canberra.
- Bucher, E.H. 1992. Neotropical parrots as agricultural pests. Pp.201–219 In: S.R. Beissinger and N.F.R. Snyder (Eds) *New World parrots in crisis: Solutions from conservation biology*. Smithsonian Institution Press, Washington, DC.
- Butchart, S.H.M., Brooks, T.M., Davies, C.W.N., Dharmaputra, G., Dutson, G.C.L., Lowen, J.C. and Sahu, A. 1996. The conservation status of forest birds on Flores and Sumbawa, Indonesia. *Bird Conservation International* 6: 335–370.
- Butler, P. 1987. *The Saint Lucia Parrot – a recipe for success*. Government of Saint Lucia, Castries, Saint Lucia.
- Butler, P.J. 1988. *St. Vincent Parrot Amazona guildingii: the road to recovery*. Report to RARE Center, Philadelphia.
- Butler, P.J. 1992. Parrots, pressures, people, and pride. Pp.25–46 In: S.R. Beissinger and N.F.R. Snyder (Eds) *New World parrots in crisis: solutions from conservation biology*. Smithsonian Institution Press, Washington DC.

- Cahyadin, Y., Jepson, P. and Arif, S. 1994b. *The status of Cacatua sulphurea abbotti on the Masalembu Islands, Indonesia*. Technical Report No. 2. PHPA/BirdLife International-Indonesia Programme, Bogor. (Indonesian and English).
- Cahyadin, Y., Jepson, P. and Syarief, M. 1994a. *A rapid status assessment of Cacatua sulphurea sulphurea in South Sulawesi Province, Indonesia*. Technical Report No. 3, PHPA/BirdLife International-Indonesia Programme, Bogor. (Indonesian and English).
- Campos, F., Sierra, R. and J. Chamberlin, J. 1998. *Diagnóstico de la Biodiversidad en el Ecuador y su Representación en el Sistema Nacional de Areas Protegidas*. Proyecto INEFAN/GEF, Wildlife Conservation Society y EcoCiencia. Quito.
- Carpenter, J.W. 1977. Propagation and management of endangered species at the Patuxent Wildlife Research Center. Pp.23–33 In: *American Association of Zoo Veterinarians Annual Proceedings*. American Association of Zoo Veterinarians. Honolulu, Hawaii.
- Carter, M. 1993. Alexandra's or Princess Parrot: status and 'normal range'. *Wingspan* 12: 32–25.
- Casagrande, D.G. and Beissinger, S.R. 1997. Evaluation of four methods for estimating parrot population size. *Condor* 99: 445–457.
- Casperson, K.D. 1995. *Orange-bellied parrot Neophema chrysogaster habitats in south east South Australia*. DENR, Adelaide.
- Castro, G.A. 1976. *Estudio de las poblaciones de Cotorra Frente Roja Amazona viridigenalis y del Loro Cabeza Amarilla A. ochrocephala en la Costa de Tamaulipas, Mexico*. Seniors Thesis, UNAM, Mexico.
- Caughley, G. 1994. Directions in conservation biology. *J. Animal Ecology* 63: 215–244.
- Caughley, G. and Gunn, A. 1996. *Conservation biology in theory and practice*. Blackwell. Boston Massachusetts, USA.
- Chebez, J.C. 1994. *Los que se van – Especies Argentinas en peligro*. Editorial Albatros. Buenos Aires Argentina. Pp.173–176.
- Cheke A.S. 1987. An ecological history of the Mascarene Islands, with particular reference to extinctions and introductions of land vertebrates. Pp.151–207 In: A.W. Diamond (Ed.) *Studies of Mascarene Island Birds*. Cambridge University Press, Cambridge.
- Christiansen, M.B. and Pitter, E. 1993. Aspects of behaviour of juvenile Red-fronted Macaw *Ara rubrogenis* in the wild. *Le Gerfault* 82–83: 63–69.
- Christidis, L. and Boles, W.E. 1994. *The taxonomy and species of birds of Australia*. Monograph no. 2 of Royal Australian Ornithologists' Union, Victoria.
- CITES. 1997. *Notification to the Parties No. 980: export quotas for 1997*. CITES Secretariat, Geneva, Switzerland.
- CITES. 1998. *Notification to the Parties 1998/07: export quotas for 1998*. CITES Secretariat, Geneva, Switzerland.
- Clark, A.H. 1905. The genus *Conurus* in the West Indies. *Auk* 22: 310–312.
- Clark, A.H. 1905. The West Indian parrots. *Auk* 22: 337–344.
- Clark, T.W. and Westrum, R. 1989. High-performance teams in wildlife conservation: A species reintroduction and recovery example. *Environmental Management* 13: 663–670.
- Clark, T.W., Reading, R.P. and Clarke, A.L. (Eds) 1994. *Endangered species recovery: finding the lessons, improving the process*. Island Press, Washington, DC.
- Clarke, M. 1993. Promoting protection through pride. *Pitirre* 6: 9.
- Clarke, R.O.S. and Duran Patiño, E. 1991. *The Red-fronted Macaw *Ara rubrogenis* in Bolivia: Its distribution abundance biology and conservation*. Unpublished Report.
- Clout, M.N. and Craig, J.L. 1995. The conservation of critically endangered flightless birds in New Zealand. *Ibis* 137 (supplement): 181–190.
- Clubb, S.L. 1992. The role of private aviculture in the conservation of Neotropical psittacines. Pp.117–131 In: S.R. Beissinger and N.F.R. Snyder (Eds) *New World parrots in crisis: Solutions from conservation biology*. Smithsonian Institution Press, Washington, DC.
- Clunie, F. 1984. *Birds of the Fiji bush*. Fiji Museum, Suva
- Coates, B.J. 1985. *The birds of Papua New Guinea, 1: non-passerines*. Alderley, Australia: Dove.
- Collar, N.J. and Juniper, A.T. 1992. Dimensions and causes of the parrot conservation crisis. Pp.1–24 In: S.R. Beissinger and N.F.R. Snyder (Eds) *New World parrots in crisis: solutions from conservation biology*. Smithsonian Institution Press, Washington, DC.
- Collar, N.J. and Stuart, S.N. 1985. *Threatened birds of Africa and related islands: the ICBP/IUCN Red Data Book*. International Council for Bird Preservation and International Union for Conservation of Nature and Natural Resources, Cambridge, UK.
- Collar, N.J., Crosby, M.J. and Stattersfield, A.J. 1994. *Birds to Watch 2: The World List of Threatened Birds*. BirdLife International, Cambridge UK.
- Collar, N.J., Gonzaga, L.P., Krabbe, N.J., Madroño Nieto, A., Naranjo, L.G., Parker III, T.A. and Wege, D.C. 1992. *Threatened birds of the Americas*. The ICBP/IUCN red data book, Third edition (part 2). BirdLife International Publications, Cambridge UK.
- Collar, N.J., Tabaranza, B.R., Mallari, N.A.D., Villasper, J. and Lowen, J.C. 1998. *Threatened birds of the Philippines*. Bookmark, Inc., Manila for Haribon Foundation and BirdLife Asia Partnership.
- Cook, J.M. 1984. *Jamaican Amazon parrot expedition 1983*. Unpublished report to ICBP, Cambridge, UK.
- Cooper, K.H. 1985. *The conservation status of indigenous forests in Transvaal, Natal and OFS, South Africa*. Wildlife Society of South Africa, Durban.

- Cory, C.B. 1880. *Birds of the Bahama Islands; containing many birds new to the island, and a number of undescribed winter plumages of North American species*. Privately published by the author, Boston.
- Cory, C.B. 1885. *The birds of Haiti and San Domingo*. Published for the author by Estes and Lauriant, Boston.
- CPRAA. 1996 World's rarest parrot: Cause for optimism. *Cyanopsitta* 40: 10
- Cruz, A. and Gruber, S. 1980. The distribution, ecology, and breeding biology of Jamaican Amazon parrots. Pp.103–131 In: R.F. Pasquier (Ed.) *Conservation of New World Parrots*. ICBP Tech. Publ. No. 1. ICBP/ Smithsonian Inst. Press, Washington, DC.
- Cruz-Nieto, M.A. 1998. Características de cavidades y de localidades de anidación y biología de nidificación de la cotorra serrana occidental *Rhynchopsitta pachyrhyncha*. Centro de Calidad Ambiental. Monterrey, México, *Tecnológico de Monterrey*: 103.
- Curio, E. 1994. Zum Bedrohungs-Status endemischer Vögel auf den Philippinen: eine Expedition der Ruhr-Universität Bochum (1993). *Zool. Ges. Arten- u. Populationsschutz Mitt.* 10: 5–7.
- Danielsen, F., Balet, D.S., Christensen, T.D., Heegaard, M., Jakobsen, O.F., Jensen, A., Lund, T. and Poulsen, M.K. 1994. *Conservation of biological diversity in the Sierra Madre Mountains of Isabela and southern Cagayan Province, The Philippines*. Department of Environment and Natural Resources, BirdLife International and Danish Ornithological Society, Manila and Copenhagen.
- Davis, D.E. (Ed.) 1982. *Handbook of census methods for terrestrial vertebrates*. CRC Press, Boca Raton.
- Davis, H. 1997 The parrots and parakeet in Jamaica. *Gosse Bird Club Broadsheet* 69: 2–4.
- de las Pozas, G. and González Alonso, H.J. 1984. Disminución de los sitios de nidificación de Cotorra y Catey (*Aves: Psittacidae*) por la tala de palma en Ciénaga de Zapata, Cuba. *Misc. Zool., Inst. Zool. Acad. Ciencias Cuba* 18: 4.
- Derrickson, S.R. and Snyder, N.F.R. 1992. Potentials and limits of captive breeding in parrot conservation. Pp.133–163 In: S.R. Beissinger and N.F.R. Snyder (Eds) *New World parrots in crisis: Solutions from conservation biology*. Smithsonian Institution Press, Washington, DC.
- Desenne, P. and Strahl, S.D. 1994. Status and ranking of priority species for the conservation of the Psittacidae in Venezuela. Pp.231–272 In: G. Morales, I. Novo, D. Bigio, A. Luy and F. Rojas – Suárez (Eds) *Biología y Conservación de los Psitácidos de Venezuela*. Gráficas Giavimar, Caracas, Venezuela.
- Diamond, J.M. 1984. Historic extinctions: A rosetta Stone for understanding prehistoric extinctions. Pp.824–838 In: P.S. Martin and R.G. Klein (Eds) *Quaternary extinctions: a prehistoric revolution*. University of Arizona Press, Tuscon.
- Diamond, J.M. 1985. New distributional records and taxa from the outlying mountain ranges of New Guinea. *Emu* 85: 65–91.
- Dickinson, E.C., Kennedy, R.S. and Parkes, K.C. 1991. *The birds of the Philippines: an annotated checklist*. British Ornithologists' Union, Tring, UK.
- Dod, A. Stockton de. 1978. *Aves de la República Dominicana*. Museo Nacional de Historia Natural, Santo Domingo, República Dominicana.
- Dod, A. Stockton de. 1992. *Endangered and endemic birds of the Dominican Republic*. Cypress House, Fort Bragg, California.
- Dodman, T. 1995. *Status and distribution of the black-cheeked lovebird Agapornis nigrigenis*. Unpublished report to the Zambian Ornithological Society, Wildlife Conservation Society of Zambia, National Museums of Zambia, National Parks and Wildlife Service of Zambia, BirdLife International and the Royal Society for the Protection of Birds, UK.
- du Pont, J.E. and Rabor, D.S. 1973. South Sulu Archipelago birds: an expedition report. *Nemouria* 9: 1–63.
- Duffield, G.E. and Hesse, A.J. 1997. Ecology and conservation of the blue throated Macaw. *PsittaScene* 9: 10–11.
- Duffy, K. 1994. *Reproductive behaviour and biology of the Echo Parakeet Psittacula eques*. Unpublished MSc thesis, University of Kent at Canterbury, UK.
- Dutson, G.C.L. 1995. The birds of Salayar and the Flores Sea islands. *Kukila* 7: 129–141.
- Dutson, G.C.L., Allen, D. and Brooks, T. 1996. Tawi Tawi – extreme Philippine birding. *Bull. OBC* 24: 32–35.
- Dutson, G.C.L., Evans, T.D., Brooks, T.M., Asane, D.C., Timmins, R.J. and Toledo, A. 1992. Conservation status of birds on Mindoro, Philippines. *Bird Conserv. Internatn.* 2: 303–325.
- Dwivedi, O.P and Venkatasamy, V. 1991. *State of the Environment in Mauritius. A report prepared for presentation at the United Nations Conference on Environment and development. Rio de Janeiro, Brazil, June 1992*. Ministry of Environment and Quality of Life, Government of Mauritius, Port Louis, Mauritius.
- Elliott, G. 1996. What's new in Kakapo research and management. *Eclectus* 1: 4–5.
- Emison, W.B., Beardsell, C.M. and Temby, I.D. 1994a. The biology and status of the long-billed corella in Australia. *Proceedings of the Western Foundation of Vertebrate Zoology* 5: 209–47.
- Emison, W.B., Caldow, W.D. and Forshaw, J.M. 1994b. Red-tailed Black Cockatoo project. *PsittaScene* 6: 4–5.
- Enkerlin-Hoeflich, E.C. 1995. *Comparative ecology and reproductive biology of three species of Amazona parrots in northeastern Mexico*. Unpublished Ph.D. dissertation, Texas A&M University, USA

- Enkerlin-Hoeflich, E.C. and Hogan, K.M. 1997. Red-crowned parrot, *Amazona viridigenalis*. *The Birds of North America*, No. 292. F. B. Gill and A. Poole (Eds) The American Ornithologists' Union and The Academy of Natural Sciences of Philadelphia. Philadelphia, Pennsylvania.
- Enkerlin-Hoeflich, E.C. and Packard, J.M. 1993. *Reproduction, ecology and human impacts: a threatened endemic Mexican parrot Amazona viridigenalis and congeneric sympatric*. Final Report to World Wildlife Fund by Texas A&M University. College Station, TX.
- Enkerlin-Hoeflich, E.C., Cruz-Nieto, M.A., Macías-Caballero, C., Quesada, J.M. and Snyder, N.F.R. 1996. *Study of Rhynchopsitta parrots in Mexico: a program for training in ecosystem conservation and management* B116: 62.
- Evans, P.G.H. 1991. Status and conservation of Imperial and Red-necked parrots *Amazona imperialis* and *A. arausiaca* on Dominica. *Bird Conserv. International* 1: 11–32.
- Evans, P.G.H. 1994. Stability in Dominica. *Cotinga* 1: 9–10.
- Evans, T.D. and Anderson, G.Q.A. 1993. Results of an ornithological survey in the Ukaguru and East Usambara mountains, Tanzania. *Scopus* 17: 40–47.
- Evans, T.D., Magsalay, P., Dutson, G.C.L. and Brooks, T.M. 1993. The conservation status of the forest birds of Siquijor, Philippines. *Forktail* 8: 89–96.
- Fairbairn, P. 1980. Parrot conservation in Jamaica. Pp.95–101 In: R.F. Pasquier (Ed.) *Conservation of New World Parrots*. ICBP Tech. Publ. No. 1. ICBP/Smithsonian Inst. Press, Washington, DC.
- FAO. 1993. *Forest resources assessment 1990: tropical countries*. Forestry Papers 112, Food and Agriculture Organisation, Rome.
- Farias, J.A. de. 1993. A cultura do fumo e a cobertura florestal nas propriedades dos fumicultores. Caderno de Pesquisa, ser. *Botânica* 5: 57–67.
- Fernandez-Badillo, A., Fernandez-Badillo, E. and Ulloa, G. 1994. Psittacids of the Henri Pittier National Park, Venezuela. Pp.4–9 In: G. Morales, I. Novo, D. Bigio, A. Luy and F. Rojas – Suárez (Eds) *Biología y Conservación de los Psitácidos de Venezuela*. Gráficas Giavimar, Caracas, Venezuela.
- Finsch, O. 1868. *Die Papageien, monographisch bearbeitet*. E. J. Brill, Leiden.
- Fitzgerald, L. and Larson, S. 1989. Captive breeding of the Bahama Parrot *Amazona leucocephala bahamensis*. *Am. Assoc. Zool. Parks Aquarium Regional Conference Proceedings* 1989: 474–479.
- Fjeldsá, J. and Krabbe, N. 1990. *Birds of the High Andes*. Zoological Museum, University of Copenhagen and Apollo Books, Svendborg, Denmark.
- Fjeldsá, J., Krabbe, N. and Ridgely, R.S. 1987. Great Green Macaw *Ara ambigua* collected in northwest Ecuador, with taxonomic comments on *Ara militaris*. *Bull. Brit. Ornithol. Club* 107: 28–31.
- Fleming, I.A. 1994. Captive breeding and the conservation of wild salmon populations. *Conserv. Biol.* 8: 886–888.
- Foose, T.J. and Ballou, J.D. 1988. Management of small populations. *Int. Zoo Yb.* 27: 26–41.
- Forest Management Bureau 1988. *Natural forest resources of the Philippines*. Philippine-German Forest Resources Inventory Project. Forest Management Bureau, Department of the Environment and Natural Resources, Manila.
- Forshaw, J.M. 1989. *Parrots of the world*. Third (revised) (Ed.) Lansdowne Editions, Melbourne, Australia.
- Fosberg, F.R., Sachet, M.-H. and Stoddart, D.R. 1983. Henderson Island (southeastern Polynesia): summary of current knowledge. *Atoll Res. Bull.* 272.
- Foster, M.S. 1993. Research, conservation, and collaboration: the role of visiting scientists in developing countries. *Auk* 110: 414–417.
- Fry, C.H., Keith, S. and Urban, E.K. 1988. *Birds of Africa. Vol. 3*. Academic Press, London.
- Galetti, M. 1997. Seasonal abundance and feeding ecology of parrots and parakeets in a lowland Atlantic forest of Brazil. *Ararajuba* 5: 115–126
- Gálvez Aguilera, X. 1996a. Auf den Spuren des Kubasittichs *Aratinga euops*. *Papageien* 10: 312–314.
- Gálvez Aguilera, X. 1996b. Los psitácidos del archipiélago cubano. *Flora y Fauna* 0: 34–35.
- Gardner, A.L. 1972. The occurrence of *Streptoprocne zonarius albicincta* and *Ara militaris* in Chiapas, Mexico. *Condor* 74: 480–481.
- Garnet, S. and Crowley, G. 1995. *Recovery plan for the Golden-shouldered Parrot Psephotus chrysopterygius*. Australian Nature Conservation Agency, Canberra, Australia.
- Garnet, S. and Crowley, G. 1997. Golden-shouldered Parrot *Psephotus chrysopterygius*. *PsittaScene* 9: 4–5.
- Garnett, S. (Ed.) 1992. *Threatened and extinct birds of Australia*. Royal Australian Ornithologists' Union and Australian National Parks and Wildlife Service, Moonee Ponds, Victoria.
- Garnett, S., Crowley, G., Duncan, R., Baker, N. and Doherty, P. 1993. Notes on live night parrot sightings in north-western Queensland. *Emu* 93: 292–296.
- Garnett, S.T. and Crowley, G.M. 1995. *Recovery Plan for the golden-shouldered parrot Psephotus chrysopterygius*. Australian Nature Conservation Agency, Canberra.
- Garret, K.L. 1997. Population status and distribution of naturalized parrots in southern California. *Western Birds* 28: 181–195.
- Gates, A.F. 1971. Breeding of the Hispaniolan or Salles Amazon Parrot *Amazona ventralis*. *Avicult. Mag.* 77: 185–187.
- Geist, V. 1988. How markets in wildlife meat and parts, and the sale of hunting privileges, jeopardise wildlife conservation. *Conserv. Biol.* 2: 15–26.

- Gill, B.J. 1996. Notes on certain Cook Island birds. *Notornis* 43: 154–158.
- Girdler, R. 1982. Notes on the yellow-faced parrotlet *Forpus xanthops*. *Avicultural Magazine* 88: 3.
- Gnam, R.S. 1990. Conservation of the Bahama Parrot. *American Birds* 44: 32–36.
- Gnam, R.S. and Burchsted, A. 1991. Population estimates for the Bahama Parrot on Abaco Island, Bahamas. *J. Field Ornithol.* 62: 139–146.
- Gobbi, J., Rose, D., de Ferrari, G. and Sheeline, L. 1996. *Parrot smuggling across the Texas-Mexico border*. Report to Traffic-USA. Washington, DC.
- Gómez-Garza, M.A. 1991. Recent observations on *Rhynchopsitta terrisi*. *Psittascene* 3: 7–8.
- González Alonso, H.J., García Romero, M.E. and Godinez, E. 1993. Estado de las poblaciones cubanas de cotorra *Amazona leucocephala* y cria en cautiverio. *Pitirre* 6: 9–10.
- Goodman, S.M. and Gonzalez, P.C. 1990 The birds of Mt. Isarog National Park, southern Luzon, Philippines, with particular reference to altitudinal distribution. *Fieldiana Zool. N.S.* 60: 1–39.
- Granizo, T., Guerrero, M., Pacheco, C., Phillips, R., Ribadeneira, M.B. and Suárez, L. 1997. *Lista de Aves Amenazadas de extincion de Ecuador*. UICN sur, CECIA, INEFAN, EcoCiencia y BirdLife International. Quito, Ecuador.
- Graves, G.R. 1992. The endemic land birds of Henderson Island, southeastern Polynesia: notes on natural history and conservation. *Wilson Bull.* 104: 32–43.
- Graves, G.R. and Giraldo, J.A. 1987. Population status of the Rufous-Fronted Parakeet *Bolborhynchus ferrugineifrons*, a Colombian endemic. *Gerfaut* 77: 89–92.
- Graves, G.R. and Uribe Restrepo, D. 1989. A new allopatric taxon in the *Hapalopsittaca amazonina* (Psittacidae) superspecies from Colombia. *Wilson Bull.* 101: 369–376.
- Greene, T. 1989. Forbes' parakeet on Chatham Island. *Notornis* 36: 326–327.
- Greenwood, A.G. 1996. The Echo responds: a partnership between conservation biology, aviculture, and veterinary science. *PsittaScene* 8: 6–7.
- Gregory, P. 1997. Range extensions and unusual sightings from Western Province, Papua New Guinea. *Bull. Brit. Ornithol. Club.* 117: 304–311.
- Griffith, B., Scott, J.M., Carpenter, J.W. and Reed, C. 1989. Translocation as a species conservation tool: status and strategy. *Science* 245: 477–480.
- Gruber, S. 1980. The yellow snake – threat to Jamaica's parrots? *Gosse Bird Club Broadsheet Number* 35: 3–4.
- Guedes, N.M.R. 1993. *Biologia reprodutiva da arara-azul Anodorhynchus hyacinthinus no Pantanal*. MS, Brasil. Ms. Tesis, Universidade de São Paulo, Piracicaba-São Paulo.
- Guedes, N.M.R. 1994. A Historia das araras-azuis. ONATI-Rev. *Tecnico científico e Cultural do CESUP, Campo Grande-MS.* 1: 56–61
- Guedes, N.M.R. 1995 Algunos aspectos sobre o comportamento reprodutivo da arara-azul *Anodorhynchus hyacinthinus* a necessidade de manejo para a conservacao da especie. *Anais de Etologia* 13: 274–292.
- Guedes, N.M.R. and Harper, L.H. 1995. Hyacinth macaw in the Pantanal. Pp.128–132 In: J. Abramson, B.L. Speer, J.B. Thomsen (Eds) *The large macaws: Their care, breeding and conservation*. Raintree Publications, Fort Bragg California.
- Guix, J.C., Jover, L. and Ruiz, X. 1997. Muestreos del comercio de Psitácidos Neotropicales en la ciudad de Barcelona, España 1991–96. *Ararajuba* 5:159–167.
- Hahn, P. 1993. Anmerkungen zur Situation des Hornsittichs *Eunymphicus cornutus* auf Neukaledonien und Ouvéa. *Papageien* 6: 189–192.
- Haig, S., Belthoff, M., Rose, D., De Ferrari, G. and Scheeline, L. 1993. Population viability for a small population of Red-cockated Woodpecker and an evaluation of enhancement strategies. *Conserv. Biol.* 7: 289–3.
- Hardy, J.W. 1973. Feral exotic birds in southern California. *Wilson Bulletin* 85: 506–512.
- Harris, M.P. 1970. Abnormal migration and hybridisation of *Larus argentatus* and *L.fuscus* after interspecies fostering experiments. *Ibis* 112: 488–498.
- Harrison, M. 1970. The orange-fronted parakeet *Cyanoramphus malherbi*. *Notornis* 17: 115–125.
- Hart, J.K. 1995. The Lear's Macaw Notes on Factors Limiting Their Survival. Pp.89–93 In: J. Abramson, B.L. Speer and J.B. Thomsen (Eds) *The large macaws: Their care, breeding and conservation*. Raintree Publications, Fort Bragg California.
- Hawken, P. 1993. *The ecology of commerce*. Harper Business, New York.
- Hicks, J. and Greenwood, D. 1989. Rescuing Norfolk Island's Parrot. *Birds International* 1: 34–47.
- Hilty, S.L and Brown, W.L. 1986. *A guide to the birds of Colombia*. Princeton University Press. Princeton New Jersey USA.
- Holyoak, D.T. 1974. *Cyanoramphus malherbi*, is it a colour morph of *C. auriceps*? *Bull. Brit. Orn. Club* 94: 4–9.
- Holyoak, D.T. 1975. Les oiseaux des îles Marquises. *Oiseau et R.F.O.* 45: 207–234.
- Holyoak, D.T. and Thisbault, J.-C. 1984. Contribution à l'étude des oiseaux de Polynésie orientale. *Mém. Mus. Natn. Hist. Nat. Ser. A, Zool.* 127: 1–209.
- Howell, S.N.G. and Webb, S. 1995. *Fieldguide to the Birds of Mexico and northern Central America*. Oxford University Press. Oxford, England
- Husain, K.Z. 1959. Is *Psittacula intermedia* a valid species? *Bull. Brit. Orn. Club* 79: 89–92.
- Iñigo-Elias, E.E. 1991. Unpublished MSc Thesis, University of Florida, Gainesville, Florida.

- Iñigo-Elias, E.E. and Ramos, M.A. 1997. El comercio de los psitácidos en México. Pp.445–458 In: J.G. Robbinson, K.H. Redford and J.E. Rabinovich (Eds) *Uso y conservación de la vida silvestre neotropical*. Fondo de Cultura Económica. México.
- Inskipp, C. and Inskipp, T. 1995. Little known Oriental birds: Intermediate parakeet *Psittacula intermedia*. *Bull. OBC* 22: 28–31.
- Inskipp, T., Broad, S. and Luxmoore, R. 1988. *Significant trade in wildlife: a review of selected species in CITES Appendix 2, 3: birds*. Convention on International Trade in Endangered Species of Wild Fauna and Flora and International Union for Conservation of Nature and Natural Resources, Cambridge UK
- Iremonger, S., Ravilious, C. and Quinton, T. 1997. *A Global Overview of Forest Conservation*. CD-ROM. World Conservation Monitoring Centre and Center for International Forestry Research, Cambridge, UK.
- Isherwood, I.S., Willis, J.D.A., Edwards, T.R.K., Ekstrom, J.M.M., Kuriake, S., Lubis, I.R., Notanubun, H., Putnarubun, J., Robinson-Dean, J.C. and Tobias, J.A. 1996. *Biological surveys and conservation priorities in north-east Seram, Maluku, Indonesia*. CSB Conservation Publications., Cambridge, UK
- IUCN. 1987. *Translocation of living organisms: introductions, re-introductions, and re-stocking*. IUCN position statement, IUCN, Gland, Switzerland.
- IUCN/UNEP/WWF. 1991. *Caring for the Earth. A Strategy for Sustainable Living*. IUCN/UNEP/WWF, Gland, Switzerland.
- IUCN. 1994. *IUCN Red List Categories, prepared by IUCN Species Survival Commission*. IUCN – The World Conservation Union, Gland, Switzerland.
- IUCN. 1994. *The 1993 UN list of protected areas*. IUCN, Gland, Switzerland.
- IUCN. 1996. *1996 IUCN Red List of threatened animals*. IUCN, Gland, Switzerland.
- IUCN. 1998. *Guidelines for re-introductions*. Prepared by the IUCN/SSC Re-introduction Specialist Group, IUCN, Gland, Switzerland and Cambridge, UK.
- Jacobs, M. and Walker J. 1999. Density estimates of birds inhabiting fragments of cloud forest in Southern Ecuador *Bird Conservation International* 9:12–18.
- Jacobson, E.R. 1993. Implications of infectious diseases for captive propagation and introduction programs of threatened/endangered reptiles. *J. Zoo and Wildlife Medicine* 24: 245–255.
- Jacobson, S.K. (Ed.) 1995. *Conserving wildlife: International education and communication approaches*. Columbia University Press, New York.
- Jarvis, A. and Robertson, T. 1997. *Endemic birds of Namibia: evaluating their status and mapping biodiversity hotspots*. Research Discussion Paper No.14. Directorate of Environmental Affairs, Ministry of Environment and Tourism, Namibia.
- Jeggo, D.F. 1976. A report of the field study of the St. Lucian Parrot *Amazona versicolor* during 1975. *Jersey Wild. Preserv. Trust. 12th Ann. Rep.* 1975: 34–41
- Jeggo, D.F. 1980. The captive breeding programme for Caribbean amazons at the Jersey Wildlife Preservation Trust. Pp.181–196 In: R.F. Pasquier (Ed.) *Conservation of New World Parrots*. ICBP Tech. Publ. No. 1. ICBP/ Smithsonian Inst. Press, Washington, DC.
- Jeggo, D.F. and Anthony, D. 1991. A report on the 1990 field survey of the St. Lucian Parrot *Amazona versicolor*. *Dodo* 27: 102–107.
- Jepson, P. 1993. Recent ornithological observations from Buru. *Kukila* 6: 85–109.
- Jones, C. 1998. [Untitled letter] *Psittascene* 10: 13.
- Jones, C.G. and Owadally, A.W. 1988. The life histories and conservation of the Mauritius kestrel *Falco punctatus*, pink pigeon *Columba mayeri* and echo parakeet *Psittacula eques*. *Proc. Royal Soc. Arts and Sci. Mauritius* 1: 80–131
- Jones, C.G. 1987. The larger land-birds of Mauritius. Pp.208–300 In: A.W. Diamond (Ed.) *Studies of Mascarene Island birds*. Cambridge University Press, Cambridge, UK.
- Jones, G.C. and Duffy, K. 1993. Conservation management of the echo parakeet *Psittacula eques echo*. *Dodo, J. Wildlife Preservation Trusts* 29: 126–148.
- Jones, M.J., Linsley, M.D. and Marsden, S.J. 1995. The status, population sizes and habitat associations of the restricted-range bird species of Sumba, Indonesia. *Bird Conservation International* 5: 21–52.
- Jordan, O.C. and Munn, C.A. 1993. First observations of the Blue-throated Macaw in Bolivia. *Wilson Bull.* 105: 694–695.
- Joseph, L. 1992. (Ed.) Issues in the conservation of parrots in Australasia and Oceania: challenges to conservation biology. *Proceedings of the RAOU/WWF Scientific day and Workshop, Sydney, September 1990*. RAOU, Victoria, Australia.
- Juniper, T. and Parr, M. 1998. *Parrots: a guide to the parrots of the world*. Pica Press, Sussex, UK.
- Juniper, T. and Yamashita, C. 1990. The conservation of the Spix's Macaw. *Oryx* 24: 224–228.
- Juniper, T. and Yamashita, C. 1991. The habitat and status of Spix's Macaw *Cyanopsitta spixii*. *Bird Cons. Inter.* 1: 1–9.
- Kennedy, R.S., Gonzales, P.C. and Miranda, Jr., H.C. 1997. New *Aethopyga* sunbirds (Aves: Nectariniidae) from the islands of Mindanao, Philippines. *Auk* 114: 1–10.
- King, W.B. 1978–1979. *Red Data Book, 2: Aves*. Second edition. International Union for Conservation of Nature and Natural Resources, Morges, Switzerland.
- Kleiman, D.G., Stanley-Price, M.R. and Beck, B.B. 1994. Criteria for reintroductions. Pp.287–303 In: P.J.S. Olney, G. Mace and A.T.C. Feistner (Eds) *Creative conservation: interactive management of wild and captive animals*. Chapman and Hall, London.



- Kock, N.D. 1989. An outbreak of beak and feather disease in lovebirds *Agapornis* sp. in Zimbabwe. *Zimbabwe Vet. J.* 20: 97–101.
- Koenig, S. 1998. *The conservation of Jamaica's endemic Amazon parrots (Amazona agilis and A. collaria)*. Final Report to Wildlife Preservation Trust International, Philadelphia, Pennsylvania.
- Krabbe, N. and Sornoza, F. 1996. The last Yellow-eared Parrots *Ognorhynchus icterotis* in Ecuador? *Cotinga* 6: 25–26.
- Krabbe, N. Poulsen, B.O., Frolander, A. and Barahona, O.R. 1997. Range extensions of cold forest birds from the high Andes of Ecuador: new sites for rare or little-recorded species. *Bull. Brit. Ornithol. Club* 117: 248–256.
- Kuehler, C. and Lieberman, A. 1993. Ultramarine Lory update. *Re-introduction News* 7: 12.
- Kuehler, C., Lieberman, A., Varney, A., Unitt, P., Sulpice, R.M., Azua, J. and Tehevini, B. 1997. Translocation of ultramarine lorries *Vini ultramarina* in the Marqueses Islands: Ua Huka to Fatu Hiva. *Bird Conservation International* 7: 69–79.
- Lacy, R.C. 1987. Loss of genetic diversity from managed populations: interacting effects of drift, mutation, immigration, selection, and population subdivision. *Conserv. Biol.* 1: 143–158.
- Lambert, F., Wirth, R., Seal, U.S., Thomsen, J.B. and Ellis-Joseph, S. 1993. *Parrots: an Action Plan for their conservation 1993–1998*. Unpublished draft no. 2. ICBP Parrot Specialist Group. Cambridge. UK.
- Lambert, F.R. 1992. The status of the Philippine Cockatoo *Cacatua haematuropygia* in Palawan and the Sulu Islands, Philippines. Unpublished.
- Lambert, F.R. 1993a. *The status and trade in North Moluccan parrots with particular emphasis on Cacatua alba, Lorius garrulus and Eos squamata*. IUCN, Gland, Switzerland and Cambridge, UK.
- Lambert, F.R. 1993b. Some key sites and significant records of birds in the Philippines and Sabah. *Bird Conservation International* 3: 281–297.
- Lambert, F.R. 1993c. Trade, status and management of three parrots in the North Moluccas, Indonesia: White Cockatoo *Cacatua alba*, Chattering Lory *Lorius garrulus* and Violet-eared Lory *Eos squamata*. *Bird Conservation International* 3: 145–168.
- Lambert, F.R. 1994a. Notes on the avifauna of Bacan, Kasiruta and Obi, North Moluccas. *Kukila* 7: 1–9.
- Lambert, F.R. 1994b. *The status of the Philippine cockatoo Cacatua haematuropygia in Palawan and the Sulu Islands, Philippines*. IUCN Species Survival Commission, IUCN, Gland, Switzerland and Cambridge, UK.
- Lambert, F.R. 1997. *Field assessment of the conservation status of red-and-blue lory Eos histrio in Indonesia*. IUCN, Gland, Switzerland and Bangkok, Thailand.
- Lammertink, J.M., Rojas-Tomé, J.A., Casillas, F. and Otto, R. 1996. *Status and conservation of old-growth forests and endemic birds in the pine-oak zone of the Sierra Madre Occidental, Mexico*. Institute for Systematics and Population Biology (Zoological Museum) University of Amsterdam, Amsterdam, The Netherlands.
- Lande, R. 1988. Demographic models of the Northern Spotted Owl. *Stryx occidentalis caurina*. *Oecologica* 75: 601–607
- Langrand, O. 1990. *Guide to the birds of Madagascar*. Yale University Press, New Haven and London.
- Lanning, D.V. and Shiflett, J.T. 1983. Nesting Ecology of Thick-Billed Parrots. *Condor* 85: 66–73.
- Lever, C. 1987. *Naturalized birds of the world*. Longman Scientific and Technical, England.
- Lieberman, A., Kuehler, C., Varney, A., Unitt, P., Sulpice, R.M., Azua, J. and Tehevini, B. 1997. A note on the 1997 survey of the translocated ultramarine lory *Vini ultramarina* population on Fatu Hiva, Marqueses Islands, French Polynesia. *Bird Conservation International* 7: 291–292.
- Linsley, M.D. 1995. Some bird records from Obi, Maluku. *Kukila* 7:142–151
- Lindsey, G.D. 1992. Nest Guarding from observation blinds: Strategy for improving Puerto Rican Parrot Nest Success. *J. Field Ornithology* 63: 466–472.
- Lloyd, B.D. and Powlesland, R.G. 1994. The decline of Kakapo *Strigops habroptilus* and attempts at conservation by translocation. *Biol. Conserv.* 69: 75–85.
- Lo, V.K. 1995. Extensão da distribuição de *Guarouba guarouba* para o norte de Mato Grosso, Amazonia Meridional. *Ararajuba* 3: 93–94.
- Loiselle, B.A. and Blake, J.G. 1992. Population variation in a tropical bird community: implications for conservation. *Bioscience* 42: 838–845.
- Long, J.L. 1981. *Introduced birds of the world. The worldwide history, distribution and influence of birds introduced into new environments*. Universe Books, New York.
- Low, R. 1991. Breeding the Hispaniolan Conure at Palmitos Park (Gran Canaria). *Avicult. Mag.* 97: 74–76.
- Low, R. 1996. Eine Zukunft für den Rotsteisskakadu. *Voliere* 19: 207–209.
- Lowen, J.C., Clay, R.P., Barnett, J.M., Madrono Nieto, A., Pearman, M., Lanus, B.L., Tobias, J.A., Liley, D.C., Brooks, T.M., Esquivel, E.Z. and Reid, J.M. 1997. New and noteworthy observations on the Paraguayan avifauna. *Bull. Brit. Ornithol. Club.* 117: 248–256.
- Ludwig, D., Hilborn, R. and Walters, C. 1993. Uncertainty, resource exploitation, and conservation. *Science* 260: 17–36.
- Mace, G.M. and Lande, R. 1991. Assessing extinction threats: toward a reevaluation of IUCN threatened species categories. *Conserv. Biol.* 5: 148–157.

- Machado, R.B. and Brandt, A. 1990. *Projeto ararinha azul: relatório final*. Unpublished report to Fundação Biodiversitas, Belo Horizonte.
- MacKinnon, J and Phillips, K. 1993. *A field guide to the birds of Borneo, Sumatra, Java and Bali*. Oxford University Press, Oxford.
- MacKinnon, J.L., Fuller, R., Harper, M.E., Hugh-Jones, T., Knowles, R., Rahman, D., Robb, D. and Vermeulen, J. 1995. *Halmahera '94: a University of Bristol expedition to Indonesia*. A final report.
- Maher, P. 1995. *Night parrot survey, techniques and habitat requirements with notes on the fauna of the Winton and Cloncurry districts*. Report to the Queensland Department of Environment and Heritage.
- Male, B. 1995. Recovery action for threatened species – an Australian perspective. *Ibis* 137 (supplement): 204–208.
- Marién, D. and Koopman, K.F. 1955. The relationship of the West Indian species of *Aratinga* (Aves: *Psittacidae*). *American Museum of Natural History Novitates* 1712: 1–20.
- Marineros, L. and Vaughan, C. 1995. Scarlet Macaws of Carara: perspectives for management. Pp. 445–467 In: J. Abramson, B.L. Speer and J.B. Thomsen (Eds) *The large macaws: their care, breeding and conservation*. Raintree Publications, California.
- Marsden, S. 1992. The distribution, abundance and habitat preferences of the Salmon-crested cockatoo *Cacatua moluccensis* on Seram, Indonesia. *Bird Conservation International* 2: 7–14.
- Marsden, S. J. 1998. Changes in bird abundance following selective logging on Seram, Indonesia. *Conservation Biology* 12: 605–611.
- Marsden, S. J. 1999. Estimation of parrot and hornbill densities using a point count distance sampling method. *Ibis* 141: 377–390
- Marsden, S.J. 1995. The ecology and conservation of the parrots of Sumba, Indonesia. *Psittascene* 7: 8–9.
- Marsden, S.J. and Jones, M.J. 1997. The nesting requirements of the parrots and hornbill of Sumba, Indonesia. *Biol. Cons.* 82: 279–287.
- Marsden, S.J., Jones, M.J., Linsley, M.D., Mead, C. and Hounscome, M.V. 1997. The conservation status of restricted-range lowland birds of Buru, Indonesia. *Bird Conservation International* 7: 213–233.
- Martinez, J. 1996. Projeto Charão: Biologia monitoramento e conservação do papagaio Charão *Amazona pretrei*. Pp.94–96 In: *Anais do V Congresso Brasileiro de Ornitologia*. Sociedade Brasileira de Ornitologia, Campinas, SP Brazil.
- Martinez-Sanchez, J.C. 1991. Distribution and conservation of macaws in Nicaragua. Pp.19–23 In: *Proceedings of the first Mesoamerican workshop on the conservation and management of macaws*. Center for the Study of Tropical Birds, Inc., San Antonio, Texas.
- Martuschelli, P. 1994. A parrot with a tiny range and a big problem: will illegal trade wipe out the Red-tailed Amazon? *PsittaScene* 6: 3–4.
- Martuschelli, P. 1995a. Ecology and conservation of the Red-tailed Amazon, *Amazona brasiliensis* in south-eastern Brazil. *Bird Conservation International*. 5: 225–240.
- Martuschelli, P. 1995b. Die Rotschwanzamazone, *Amazona brasiliensis*. *Papageien* 10: 316–320.
- Mawson, P.R. and Long, J.L. 1994. Size and age parameters of nest trees used by four species of parrot and one species of cockatoo in south-west Australia. *Emu* 94: 149–55.
- Mawson, P.R. and Long, J.L. 1996. Changes in the distribution and status of four species of parrot in the south of Western Australia during 1970–90. *Pacific Conservation Biology* 2: 191–199.
- McCormack, G.C. and Kunzle, J. 1996. The 'Ura or Rimatara lorikeet *Vini kuhlii*: its former range, present status, and conservation priorities. *Bird Conservation International* 6: 325–334.
- Menkhorst, P. Lyon, R.H. and Brown, P.B. 1990. Management of the orange-bellied parrot. Pp 239–252 In: T.W. Clark and T.H. Seebeck (Eds) *Management and conservation of small populations*. Chicago Zoological Society, Chicago.
- Meredith, C.W., Gilmore, A.M. and Isles, A.C. 1980. A study of the ground parrot (*Pezoporus wallicus* Kerr) in south-eastern Australia: a fire adapted species? *Australian Journal of Ecology* 9: 367–80.
- Merton, D. 1997. Kakapo update. *PsittaScene* 9: 3–4
- Meyer, A.J. and Wigglesworth, L.W. 1898. *The birds of Celebes and neighbouring islands*. Friendlander, Berlin.
- Milanelo, M., Caro Carillo, A., Martuschelli, P. and Scherer Neto, P. 1994. *Integrated Conservation Plan for the Red-tailed Amazon (Amazona brasiliensis – Linnaeus, 1758)*. Unpublished Report to the Nature Conservancy.
- Mills, J.A. and Williams, G.R. 1980. The status of endangered New Zealand birds. In: M.J. Tyler (Ed.) *The status of endangered Australasian wildlife*. Roy. Zool. Soc. South Australia, Adelaide.
- Mills, L.S., Hayes, S.G., Baldwin, C., Wisdom, M.J., Citta, J., Mattson, D.J. and Murphy, K. 1996. Factors leading to different viability predictions for a grizzly bear data set. *Conserv. Biol.* 10: 863–873.
- Miyani C.Y., Guedes, N.M.R., Herrera, R.P. and Wajntal, A. 1995. *Estudo da variabilidade genética e da razão sexual de uma população silvestre de arara azul do Pantanal*. In: Congresso Nacional de Genética 410, Brazilian Journal of Genetics 18(3) suppl., september/95.
- Morales, G., Novo, I. Bigio, D. Luy A. and Rojas-Suárez, F. 1994. *Biología y Conservación de los Psitcidos de Venezuela*. Gráficas Giavimar, Caracas, Venezuela.
- Moreau, R.E. 1948. Aspects of evolution in the parrot genus *Agapornis*. *Ibis* 90: 206–239.

- Moyer, D. 1995. *The status of Fischer's lovebird Agapornis fischeri in the United Republic of Tanzania*. Status of species in trade series, IUCN, Gland, Switzerland and Cambridge, UK.
- Munn, C.A. 1992. Macaw biology and ecotourism, or "when a bird in the bush is worth two in the hand". Pp.47-72 In: S.R. Beissinger and N.F.R. Snyder (Eds) *New World parrots in crisis: Solutions from conservation biology*. Smithsonian Institution Press, Washington, DC.
- Munn, C.A. 1994. Macaws: winged rainbows. *National Geographic* 185: 118-140.
- Munn, C.A. 1995a. Lears Macaw: a second population confirmed. *PsittaScene* 7: 1-3.
- Munn, C.A. 1995b. The bigger they are the harder they fall. *PsittaScene* 7: 1-5.
- Munn, C.A., Thomsen, J.A. and Yamashita, C. 1990. The hyacinth macaw. Pp.404-419 In: W.J. Chadler (Ed.) *Audubon Wildlife Report*. Academic Press. New York.
- Nash, S.V. 1993. Concern about trade in Red-and-blue Lorries. *TRAFFIC Bull.* 13: 93-96.
- Nichols, H.A.J. 1978. Captive breeding programs for Amazona parrots. Pp.263-271 In: S.A. Temple (Ed.) *Endangered birds. Management techniques for preserving threatened species*. University of Wisconsin Press. Madison and Croom Helm Ltd, London.
- Nichols, T.D. 1981. St. Vincent Amazon *Amazona guildingii*: predators, clutch size, plumage polymorphism, effect of the volcanic eruption, and population estimate. *ICBP Tech. Pub.* 1: 197-209.
- Nixon, A. 1994. Feeding ecology of hybridizing parakeets on Mangere Island, Chatham Islands. *Notornis* supplement 41: 5-18.
- Noegel, R.P. 1976. The Cayman Brac Amazon parrot *Amazona leucocephala hesternae*. *Avic. Mag.* 82: 202-209.
- Noegel, R.P. 1977. Captive breeding of *Amazona leucocephala*. *Avicult. Mag.* 83: 126-130.
- Noegel, R.P. 1978. The captive breeding of the Isle of Pines Amazon. *Avicult. Bull.* 7: 3-10.
- Noegel, R.P. 1979. First captive breeding of the Jamaican Black-billed Parrot *Amazona agilis*. *Avicult. Bull.* 8: 9-11.
- Noegel, R.P. 1980. Amazon parrot husbandry. *Avic. Mag.* 86: 232-245.
- Norris, R., Wilber, J.S. and Morales-Marin, L.O. 1998. Community-based ecotourism in the Maya Forest: problems and potentials. Pp. 327-343 In: R.B. Primack, D. Bray, H.A. Galletti and I. Ponciano (Eds) *Timber, tourists, and temples: conservation and development in the Maya Forest of Belize, Guatemala, and Mexico*. Island Press, Washington.
- Noske, R. 1995. At the crossroads of two avifaunas - Timor. *Bull. OBC* 21: 34-38.
- Noske, R. and Saleh, N. 1993. Report to LIPI: the status of lowland forest birds in West Timor. Unpublished.
- Nycander E., Blanco, D.H. Holle, K.M., delCampo, A., Munn, C.A., Moscoso, J.L. and Ricalde, D.G. 1995. Nesting success and techniques for increasing reproduction in wild macaws in Southeastern Peru. Pp. 348-362 In: J. Abramson, B.L. Speer and J.B. Thomsen (Eds) *The large macaws: their care, breeding and conservation*. Raintree Publications, California.
- O'Donnell, C.F.J. and Rasch, G. 1991. *Conservation of Kaka in New Zealand. A review of status, threats, priorities for research and implications for management*. Department of Conservation (Science and Research Internal Report 101), Wellington.
- Olmos, F. 1993. Birds of Serra da Capivara National Park in the 'caatinga' of north-eastern Brazil. *Bird Conserv. Internatn.* 3: 21-36.
- Oren, D. and Novaes, F.C. 1981. Observations on the Golden Parakeet *Guarouba guaroubain* Northern Brazil. *Biol. Cons.* 36: 329-337
- Oren, D.C. and Willis, E.O. 1981. New Brazilian records for the Golden Parakeet *Guarouba guarouba*. *Auk* 98: 394-396.
- Ottenwalder, J.A. 1980. Captive breeding of the Hispaniolan Conure *Aratinga chloroptera*. *International Zoo News* 27: 51.
- Pagel, S.M., Chiappetti, M.S., Franco, C. and Focchi, E. 1992. *Programa Mata Atlantica - RS*. Annals of the 7th Congresso Florestal Estadual, Universidade Federal de Santa Maria 1992. Santa Maria, Brasil.
- Parker, T.A. III and Carr, J.L. (Eds). 1992 *Status of the forest remnants in the Cordillera de la Costa and adjacent areas of southwestern Ecuador*. Conservation International RAP Working Papers 2, Washington, DC.
- Parker, T.A., S.A. Parker, and Plenge, M.A. 1982. An annotated checklist of Peruvian Birds. Buteo Books, Vermilion, South Dakota. USA.
- Pepper, J.W. 1996. *The behavioural ecology of the glossy black-cockatoo Calyptorhynchus lathami halmaturinus*. Unpublished PhD. Thesis, University of Michigan, Ann Arbor, USA.
- Pepper, J.W. 1997. A survey of the South Australian glossy black-cockatoo *Calyptorhynchus lathami halmaturinus* and its habitat. *Wildlife Research* 24: 209-224.
- Perez, R.J.J. 1986. *Aspectos de historia natural y perspectivas de manejo de los pericos Amazona ochrocephala y A. viridigenalis en el estado de Tamaulipas, Mex.* A special publication of WWF-Traffic. WWF-Traffic, Washington DC.
- Peters, J.L. 1928. The races of *Amazona leucocephala* (Linn.). *Auk* 45: 342-344.
- Philippart, J.C. 1995. Is captive breeding an effective solution for the preservation of endemic species? *Biological Conservation* 72: 281-295.
- Pitter, E. and Christiansen, M.B. 1995. Ecology, status and conservation of the Red-fronted Macaw *Ara rubrogenis*. *Bird Conservation International* 5: 61-78

- Pizo, M.A., Simão, I. and Galetti, M. 1995. Diet and flock size of sympatric parrots in the Atlantic forest of Brazil. *Ornitología Neotropical* 6: 87–95.
- Pople, R.G., Burfield, I.J., Clay, R.P., Cope, D.R., Kennedy, C.P., López Lánus, B., Reyes, J., Warren, B. and Yaugal, E. 1997. *Bird surveys and conservation status of three sites in western Ecuador*: Final report of Project Ortalis '96. CSB Conservation Publications, Cambridge, UK.
- Poulsen, M. and Jepson, P. 1996. Status of the salmon-crested cockatoo and red lory on Ambon Island, Maluku. *Kukila* 8: 159–160.
- Poulsen, M.K. 1995. The threatened and near-threatened birds of Luzon, Philippines, and the role of the Sierra Madre mountains in their conservation. *Bird Conservation International* 5: 79–115.
- Powell, G., Bjork, R., Montero, S. and Aleman, U. 1996. *Migración Intratropical por Ara ambigua: identificación de heterogeneidad y enlaces/conexiones de hábitat para proteger la biodiversidad en bosque húmedo tropical en áreas bajas de Centroamérica*. Unpublished Report.
- Powlesland, R.G. and Lloyd, B.D. 1994. Use of supplementary feeding to induce breeding in free-living Kakapo *Strigops habroptilus* in New Zealand. *Biol. Conserv.* 69: 97–106.
- Pratt, H.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton.
- Prestes, N.P. and Martinez, J. 1996. Características de nidificação do papagaio Charão *Amazona pretrei* Temmick 1830 (*Psittacidae: Aves*). Anais do V Congresso Brasileiro de Ornitologia. 1996 Campinas SP, Brazil.
- Prestes, N.P., Martinez, J., Meyrer, P.A., Hansen L.H. and Xavier M.N. 1997. Nest Characteristics of the Red Spectacled Amazon, *Amazona pretrei*. *Ararajuba* 5: 151–158
- Quin, B.R. and Baker-Gabb, D.J. 1993. *Conservation and management of the turquoise parrot Neophema pulchella in north-east Victoria*. Arthur Rylah Institute for Environmental Research, Melbourne.
- Quinnell, R. and Balmford, A. 1988. A future for Palawan's forests? *Oryx* 22: 30–35.
- Raffaele, H.A. and Kepler, C.B. 1992. Earliest records of the recently introduced avifauna of Puerto Rico. *Ornitología Caribeña* 3: 20–29.
- Ralph, C.J. and Scott, J.M. (Eds). 1981. Estimating numbers of terrestrial birds. *Studies in Avian Biology* 6. Cooper Ornithol. Soc., Lawrence, Kansas.
- Rand, A.L. and Gilliard, E.T. 1967. *Handbook of New Guinea birds*. Weidenfeld and Nicolson, London.
- Rasmussen, J.F., Rahbek, C., Poulsen, B.O., Poulsen, M.K. and Bloch, H. 1996. Distributional records and natural history notes on threatened and little known birds of southern Ecuador. *Bull. Brit. Ornith. Club* 116: 26–46.
- Reed, J.M., D.D. Murphy, and P.F. Brussard. 1998. Efficacy of population viability analysis. *Wildlife Society Bull.* 26:244–251.
- Remsen, J.V., Melvin, A.T. and Parkes, K.C. 1986. Range extensions for some Bolivian birds, 2 (*Columbidae* to *Rhynocryptidae*). *Bull. Brit. Ornith. Club* 106: 22–32.
- Renjifo L.M. 1991. *Status of endangered avifauna in the Alto Quindío and Toche Regions*. Report to The Wildlife Conservation Society and Fundación Herencia Verde, Cali.
- Renjifo, L.M. 1991b. *Expansion of the High Quindío Reserve with the acquisition of Andean wax palm forest: A proposal for the conservation of vulnerable avifauna*. Report to The Wildlife Conservation Society and Fundación Herencia Verde, Cali.
- Renton, K. 1994. *Seasonal variations in encounter rates, and the factors limiting breeding density of macaws, Ara species, in the floodplain forest of the Manu Biosphere Reserve, Peru*. Masters thesis, University of Kent at Canterbury.
- RePPPProT. 1990. *National overview of the regional physical planning programme for transmigration*. Overseas Development Natural Resources Institute, Chatham, UK.
- Reynolds, M. 1994. The World Parrot Trust – The Parrot Portfolio #17 *Amazona brasiliensis*. *Supplement in PsittaScene* 6: 1–2.
- Reynolds, M. 1997. Lear's macaw–Next in line for extinction? *PsittaScene* 9: 1–3.
- Ridgely, R.S. 1982. The current distribution and status of mainland Neotropical parrots. Pp.233–384 in R.F. Pasquier (Ed.) *Conservation of New World Parrots*. ICBP Tech. Publ. No. 1. ICBP/Smithsonian Inst. Press, Washington, DC.
- Riley, J. 1995. *Preliminary assessment of the status and utilization of the red and blue lory Eos histrio on Talaud and Sangihe*. PHPA/BirdLife International-Indonesia Programme Technical Report No. 10. BirdLife-IP, Bogor.
- Riley, J. 1997. *Biological surveys and conservation priorities on the Sangihe and Talaud Islands, Indonesia: the final report of Action Sampiri 1995–1997*. CBS Conservation Publications, Cambridge, UK.
- Riveros, J.C., Sanches, S. and Ascencios, D. 1991. *Distribución y status del pachaloro Forpus xanthops*. Resúmenes del IV congreso de ornitología tropical, 3–9 de Noviembre 1991. Quito Ecuador.
- Robbins, M.B., Ridgely, R.S., Schulenberg, T.S. and Gill, F.B. 1987. The avifauna of the Cordillera de Cutucu, Ecuador with comparisons to other Andean localities. *Proc. Acad. Nat. Sci. Philadelphia* 139: 243–259.
- Robertson, A., Simmons, R.E., Jarvis, A.M. and Brown, C.J. 1995. Can bird atlas data be used to estimate population size? A case study using Namibian endemics. *Biological Conservation* 71: 87–95

- Robertson, C.J.R. (Ed.) 1985. *Complete book of New Zealand birds*. Reader's Digest, Sydney.
- Robinet, O. and Salas, M. 1996. Absence of ship rats *Rattus rattus* and Norway rats *Rattus norvegicus* on Ouvea (Loyalty Islands, New Caledonia): consequences for conservation. *Pacific Conservation Biology* 2: 390–397.
- Robinet, O., Barre, N. and Salas, M. 1996. Population estimate for the Ouvea Parakeet *Eunymphicus cornutus uvaensis*: its present range and implications for conservation. *Emu* 96: 151–157.
- Robinet, O., Beugnet, F., Dulieu, D. and Chardonnet, P. 1995. The Ouvea parakeet – state of knowledge and conservation status. *Oryx* 29: 143–50.
- Rodriguez, J.P. and Rojas-Suárez, F. 1995. *Libro Rojo de la Fauna Venezolana*. PROVITA and Fundación Polar, Caracas, Venezuela.
- Rodriguez-Estrella, R., Mata, E. and Rivera, L. 1992. Ecological notes on the Green Parakeet of Isla Socorro, Mexico. *Condor* 94: 523–5.
- Rodriguez-Ferraro, A. 1996. *Proyecto de Conservación y Manejo de la Cotorra Cabeciamarilla Amazona barbadensis en las Islas de Margarita y La Blanquilla*. Report to the Wildlife Conservation Society.
- Rothschild, W. 1895. On a new parrot. *Nov. Zool.* 2: 492.
- Rowley, I. 1983. Mortality and dispersal of juvenile Galahs *Cacatua roseicapilla* in the Western Australian wheatbelt. *Aust. Wildl. Res.* 10: 329–342.
- Rowley, I. 1990. *Behavioural ecology of the galah Eolophus roseicapillus in the wheatbelt of Western Australia*. Surrey Beatty and Sons, Chipping Norton.
- Rowley, I. and Chapman, G. 1991. The breeding biology, food, social organisation, demography and conservation of the Major Mitchell or pink cockatoo, *Cacatua leadbeateri*, on the margin of the Western Australian wheatbelt. *Australian Journal of Zoology* 39: 211–61.
- Rowley, I. and Saunders, D.A. 1980. Rigid wing-tags for cockatoos. *Corella* 4: 1–7.
- Russell, S.M. 1964. A distributional study of the birds of British Honduras. *Ornithological Monographs* 1: 1–195.
- Salaman, P.G.W. 1994. The survey and conservation of Biodiversity in south-west Colombia. *BirdLife International Study Report* 61. BirdLife International Publications, Cambridge UK.
- Salaman, P.G.W. and Gandy, G. 1993. *Colombia '93: Thunder Lake Expedition*. Preliminary Report.
- Salaman, P.G.W. and Lopez-Lanus, B. 1999. Critical discovery of Yellow-eared Parrot. *Psittacine* 11:6–7.
- Sane, S.R., Kannan, P., Rajendran, C.G., Ingle, S.T. and Bhagwat, A.M. 1986. On the taxonomic status of *Psittacula intermedia* (Rothschild). *J. Bombay Nat. Hist. Soc.* 83 (supplement): 127–135.
- Sanz, V. and Grajal, A. 1998. Successful reintroduction of captive-raised Yellow-Shouldered Amazon in Margarita Island, Venezuela. *Conserv. Biol.* 12: 1–13.
- Saunders, D.A. 1982. The breeding behaviour and biology of the short-billed form of the White-tailed Black-cockatoo *Calyptorhynchus funereus latirostris* Carnaby. *Ibis* 124: 422–55.
- Saunders, D.A. 1986. Breeding season, nesting season and nestling growth in Carnaby's Cockatoo, *Calyptorhynchus funereus latirostris*, over 16 years at Coomallo Creek, and a method for assessing the viability of populations in other areas. *Australian Wildlife Research* 13: 261–273.
- Saunders, D.A. 1988. Patagial tags: do benefits outweigh the risks to the animal? *Australian Wildlife Research* 15: 565–569.
- Saunders, D.A. 1990a. The landscape approach to conservation: community involvement, the only practical solution. *Australian Zoologist* 26: 49–53.
- Saunders, D.A. 1990b. Problems of survival in an extensively cultivated landscape: the case of Carnaby's cockatoo *Calyptorhynchus funereus latirostris*. *Biol. Conserv.* 54: 111–24.
- Saunders, D.A. 1991. The effect of land clearing on the ecology of Carnaby's cockatoo and the inland red-tailed black-cockatoo in the wheatbelt of Western Australia. *Acta XX Congressus Internationalis Ornithologici*.
- Saunders, D.A. and Ingram, J.A. 1995. *Birds of southwestern Australia. An atlas of changes in distribution and abundance of the wheatbelt avifauna*. Surrey Beatty and Sons, Chipping Norton, NSW.
- Saunders, D.A., Smith, G.T. and Rowley, I. 1982. The availability and dimensions of tree hollows that provide nest sites for cockatoos (Psittaciformes) in Western Australia. *Australian Wildlife Research* 9: 541–6.
- Scharr, P., Ground, D., Burton, F. and Butler, P.J. 1992. *Conservation education in the Cayman Islands*. The National Trust for the Cayman Islands and RARE Center for Tropical Conservation, George Town, Grand Cayman and Philadelphia, Pennsylvania.
- Scherer Neto, P. 1988. Die Rotschwanzamazonen *Amazona brasiliensis* hat eine unge-wisse Zukunft *Papagaien* 1988: 23–26.
- Scherer Neto, P. 1989. *Contribuição a biologia do papagaio-da-cara-roxa Amazona brasiliensis* (Linnaeus, 1758) (Psittacidae. Aves). Unpublished Masters Thesis. Universidade Federal do Paraná Departamento de Zoologia.
- Schmid, C.K. 1993. Birds of Nokopo. *Muruk* 6: 2.
- Schmutz, E. 1977. *Die Vögel der Manggarai (Flores)*. Privately published, Ruteng, Flores.
- Schodde, R., Mason, I.J. and Wood, J.T. 1993. Geographical differentiation in the Glossy Black-cockatoo *Calyptorhynchus lathami* (Temminck) and its history. *Emu* 93: 156–166.
- Schulenberg, T.S. and Aubrey, K. (Eds). 1997. *The Cordillera del Condor Region of Ecuador and Peru: A Biological Assessment*. Conservation International RAP Working Papers No.7, Washington DC, USA

- Seber, G.A.F. 1986. A review of estimating animal abundance. *Biometrics* 42: 267–292.
- Seitre, R. and Seitre, J. 1991. *Causes de disparition des oiseaux terrestres de Polynésie Française*. South Pacific Regional Environment Programme (Occas. Pap. Series 8), Nouméa.
- Seitre, R. and Seitre, J. 1992. Causes of land-bird extinctions in French Polynesia. *Oryx* 26: 215–222.
- Serpell, J., Collar, N., Davis, S. and Wells, S. 1983. Submission to the Foreign and Commonwealth Office on the future conservation of Henderson Island in the Pitcairn Group. Unpublished.
- Sibley, C.G. and Monroe, B.L. 1990. *Distribution and Taxonomy of Birds of the World*. Yale Press, New Haven and London.
- Sibley, C.G. and Monroe, B.L. 1993. *A Supplement to the Distribution and Taxonomy of Birds of the World*. Yale Press, New Haven and London.
- Sick, H. 1997. *Ornitologia Brasileira*. Nova Fronteira Publications. Rio de Janeiro, Brazil.
- Siebers, H.C. 1930. Fauna Buruana. *Aves* 5 (supplement): 164–303.
- Silvius, K. 1989. *Resultados Preliminares del Proyecto Ecología, Biología, y Situación Actual de la Cotorra (Amazona barbadensis: Psittacidae) en la Isla de Margarita, Nueva Esparta*. Final Report to FUDENA. Caracas, Venezuela.
- Simberloff, D. 1988. The contributions of population and community biology to conservation science. *Annual Review of Ecology and Systematics*. 19: 475–511
- Skead, C.J. 1964. The overland flights and the feeding habits of the Cape parrot *Poicephalus robustus* (Gmelin) in the eastern Cape Province. *Ostrich* 35: 202–232.
- Skead, C.J. 1971. The Cape parrot in the Transkei and Natal. *Ostrich Supplement* 9: 165–178.
- Smiet, A.C. 1985. Notes on the field status and trade in Moluccan parrots. *Biol. Conserv.* 34: 181–194.
- Smith, G.A. 1991. Spix's Macaw *Ara (Cyanopsitta) spixii*. *Mag. Parrot Soc.* 15: 164–165.
- Smith, G.T. 1991. The breeding ecology of the western long-billed corella, *Cacatua pastinator pastinator*. *Wildlife Research* 18: 91–110.
- Smith, G.T. and Rowley, I.C.R. 1995. Survival of adult and nestling Western Long-billed Corellas, *Cacatua pastinator*, and Major Mitchell Cockatoos, *C. leadbeateri*, in the wheatbelt of Western Australia. *Wildlife Research* 22: 155–162.
- Smith, G.T. and Saunders, D.A. 1986. Clutch size and productivity of three sympatric species of Cockatoo (Psittaciformes) in the south-west of Western Australia. *Aust. Wildl. Res.* 13: 275–285.
- Snyder, N. and Enkerlin-Hoeflich, E. 1996. New Parrot Preserve in Mexico. *Psittascene* 8: 8–9.
- Snyder, N.F.P. and Wallace, M.P. 1987. Reintroductions of the thick-billed parrot in Arizona. Pages 360–384 In: *Proceedings 1987 Jean Delacour/IFCB Symposium on breeding birds in captivity*. International Foundation for the Conservation of Birds. 1987. North Hollywood, California.
- Snyder, N.F.R. 1978. Puerto Rican Parrots and nest-site scarcity. Pp.47–53 In: S.A. Temple (Ed.) *Endangered birds, management techniques for preserving threatened species*. University of Wisconsin Press, Madison, Wisconsin.
- Snyder, N.F.R. and Snyder, H.A. 1989. Biology and conservation of the California Condor. *Current Ornithology* 6: 175–263.
- Snyder, N.F.R. and Taapken, J.D. 1978. Puerto Rican Parrots and nest predation by Pearly-eyed Thrashers. Pp.113–120 In: S.A. Temple (Ed.) *Endangered birds, management techniques for preserving threatened species*. University of Wisconsin Press, Madison, Wisconsin.
- Snyder, N.F.R., Derrickson, S.R., Beissinger, S.R., Wiley, J.W., Smith, T.B., Toone, W.D. and B. Miller. 1996. Limitations of captive breeding in endangered species recovery. *Conserv. Biol.* 10: 338–348.
- Snyder, N.F.R., King, W.B. and Kepler, C.B. 1982. Biology and conservation of the Bahama Parrot. *Living Bird* 19: 91–114.
- Snyder, N.F.R., Koenig, S.E., Koschmann, J., Snyder, H.A. and Johnson, T.B. 1994. Thick-billed parrot releases in Arizona. *Condor* 96: 845–862.
- Snyder, N.F.R., Wiley, J.W. and Kepler, C.B. 1987. *The parrots of Luquillo: natural history and conservation of the Puerto Rican Parrot*. Western Foundation of Vertebrate Zoology, Los Angeles.
- Snyder, N.F.R., E.C. Enkerlin-Hoeflich, and M.A. Cruz-Nieto. 1999. Thick-billed Parrot (*Rhynchopsitta pachyrhyncha*). In: *The Birds of North America*, No. 406 (A. Poole and F. Gill, Eds). The Birds of North America, Inc., Philadelphia, Pennsylvania.
- Species Survival Commission. 1994. *IUCN Red List Categories*. IUCN, Gland, Switzerland.
- Steadman, D.W. 1989. Extinctions of birds in Eastern Polynesia: a review of the records and comparisons with other Pacific Island Groups. *J. Archaeol. Sci.* 16: 177–205.
- Stiles, F.G. 1985. Conservation of forest birds in Costa Rica: problems and perspectives. Pp.141–168 In: A.W. Diamond and T.E. Lovejoy (Eds) *Conservation of tropical forest birds*. ICBP Tech. Publ. No. 4. ICBP, Cambridge, England.
- Stiles, F.G. and Skutch, A.F. 1989. *A field guide to the birds of Costa Rica*. Cornell University Press, Ithaca, NY.
- Stokes, T. 1980. Notes on the landbirds of New Caledonia. *Emu* 80: 81–86.

- Stoleson, S.H. and Beissinger, S.R. 1997. Hatching asynchrony in parrots: boon or bane for conservation. Pp.157–180 In: J.R. Clemmons and R. Buchholtz (Eds) *Behavioural approaches to conservation in the wild*. Cambridge Univ. Press, Cambridge.
- Sylvius, K.M. 1997. To save a parrot. *Wildlife Conservation* 100: 52–57.
- Tabaranza, B.R. 1992. *The distribution and conservation status of the Philippine cockatoo* *Cacatua haematuropygia* (P.L.S. Muller, 1776). Final report to the Zoological Society for Conservation of Species and Populations.
- Talbot, L.M. 1993. *Principles for living resource conservation*. Marine Mammal Commission, Draft preliminary report on consultations, Washington, DC.
- Tavistock, Marquess of. 1916. Breeding notes – and others – for 1916. *Avicult. Mag.*, ser. 3, 7: 330–332.
- Taylor, K., Fuller, R.J. and Lack, P.C. (Eds) 1985. Bird census and atlas studies. *Proceedings VIII Internat. Conf. of Bird Census and Atlas Work*. BTO, Tring.
- Taylor, R.H. 1975. Some ideas on speciation in New Zealand parakeets. *Notornis* 22: 110–121.
- Taylor, R.H. 1985. Status, habits and conservation of Cyanoramphus parakeets in the New Zealand region. Pp.195–211 in P.J. Moors (Ed.) *Conservation of island birds*. Technical Publication No. 4, ICBP, Cambridge, UK.
- Taylor, R.H. 1998. A reappraisal of the orange-fronted parakeet *Cyanoramphus* sp. – species or colour morph? *Notornis* 45: 49–63.
- Taylor, R.H., Heatherbell, E.G. and Heatherbell, E.M. 1986. The orange-fronted parakeet *Cyanoramphus malherbi* is a colour morph of the yellow-crowned parakeet *C. auriceps*. *Notornis* 33: 17–22.
- Thibault, J.-C. 1988. Menaces et conservation des oiseaux de Polynésie Française. Pp.87–124 In: J.-C. Thibault and I. Guyot, (Eds) *Livre rouge des oiseaux menacés des régions françaises d'outre-mer*. Conseil International pour la Protection des Oiseaux (Monogr. 5), Saint-Cloud.
- Thomsen, J.B. and Mulliken, T.A. 1992. Trade in Neotropical psittacines and its conservation implications. Pp.73–115 In: S.R. Beissinger and N.F.R. Snyder (Eds) *New World parrots in crisis: solutions from conservation biology*. Smithsonian Institution Press, Washington, DC.
- Thorsen, M., Harper, G., Haverson, P., Reynolds, N., Smart A. and Pierard, M. 1998. *Echo parakeet* *Psittacula eques* management report 1998: the wild population. Unpublished report to UNDP, World Parrot Trust, Jersey Wildlife Preservation Trust and Mauritian Wildlife Foundation.
- Thurber, W.Q., Serrano, J.F., Sermeño, A. and Benitez, M.F. 1987. Status of uncommon and previously unreported birds of El Salvador. *Proc. Western Found. Vertebr. Zool.* 3: 203–204.
- Toft, C.A. 1994. *The genetics of captive propagation for conservation: a manual for aviculturists*. Special Publication No. 1., Psittacine Research Project, University of California, Davis.
- Toyne, E.P. 1994. Gold miners in Podocarpus National Park, Going, going...gone. *Cotinga* 2: 8.
- Toyne, E.P. 1996. Parrots in peril in Ecuador 1994. *Ibis* 138: 148
- Toyne, E.P. 1996. The Imperial College Parrots in Peril Initiative: a summary of the 1990, 1992 and 1994 expeditions. *Bulletin of the British Ecological Society* 28: 222–224.
- Toyne, E.P. 1996. Towards a conservation strategy for the Red-faced Parrot. *PsittaScene* 8: 7.
- Toyne, E.P. and Flanagan, J.N.M. 1996. First nest record of Red-faced Parrot *Hapalopsittaca pyrrhops*. *Cotinga* 5: 43–45
- Toyne, E.P. and Flanagan, J.N.M. 1997. Observations on the breeding biology, diet and behaviour of Red-faced Parrot *Hapalopsittaca pyrrhops* in southern Ecuador. *Bull. Brit. Ornithol. Club.* 117: 257–263.
- Toyne, E.P., Jeffcote, M.T. and Flanagan, J.N.M. 1992. Status, distribution and ecology of the White-breasted Parakeet *Pyrrhura albipectus* in Podocarpus National Park, southern Ecuador. *Bird Conserv. Internat.* 2: 327–339
- Toyne, E.P., Flanagan, J.N.M. and Jeffcote, M.T. 1995. Vocalizations of the endangered Red-faced Parrot *Hapalopsittaca pyrrhops* in southern Ecuador. *Ornithologia Neotropical* 6: 125–128.
- TRAFFIC. “EU trade in CITES-listed species 1990–1994.” [http://www.traffic.org/factfile/eu\\_tradeincites.html](http://www.traffic.org/factfile/eu_tradeincites.html) (20 October 1999).
- Trevelyan, R. 1995. The feeding ecology of Stephen's lory and nectar availability in its food plants. *Biol. J. Linn. Soc.* 56: 185–197.
- Triggs, S.J. and Daugherty, C.H. 1996. Conservation and genetics of New Zealand parakeets. *Bird Conservation International* 6: 89–101.
- Turbott, E.G. 1990. *Checklist of the birds of New Zealand*. Third edition. Ornithological Society of New Zealand, Wellington.
- University of York. 1996. The status and conservation of birds on the Sangihe and Talaud Islands, Sulawesi, Indonesia. Summary report. University of York, UK.
- Vallée, D. 1992. *Environmental impacts of gold-mining in Podocarpus National Park, southern Ecuador*. MSc thesis, Imperial College.
- van Bemmelen, A.C.V. 1948. A faunal list of the birds of the Moluccan Islands. *Treubia* 19: 87–91.
- van der Heyden, T. and Paulmann, K. 1987. Erfolgreiche zucht des Haiti-0sittichs *Aratinga chloroptera*. *Trochilus* 8: 60–63.
- Varty, N. 1991. The status and conservation of Jamaica's threatened and endemic forest avifauna and their habitats following Hurricane Gilbert. *Bird Conservation International* 1: 135–151.

- Verner, J. 1985. An assessment of counting techniques. *Current Ornithology* 2: 247–302.
- Walters, M. 1985. On the status of *Psittacula intermedia* (Rothschild). *J. Bombay Nat. Hist. Soc.* 82: 197–199.
- Wardhill, J.C. and Riley, J. 1997. *Assessment of the status and trade of the red-and-blue lory Eos histrio on Talaud and Sangihe*. Technical Memorandum No. 20, PHPA/BirdLife International Indonesia Programme, Bogor Indonesia.
- Watling, D. 1982. *The birds of Fiji, Tonga and Samoa*. Millwood Press, Wellington, New Zealand.
- Watling, D. 1995. Notes on the status of Kuhl's lorikeet *Vini kuhlii* in the Northern Line Islands, Kiribati. *Bird Conservation International* 5: 481–489.
- Waugh, D. 1995. Buffon's macaw in Ecuador: The urgency of conservation action. *PsittaScene* 7 (1): 1–5.
- Weaver, C.M. 1982. Breeding habitats and status of the golden-shouldered parrot *Psephotus chrysopterygius*, in Queensland. *Emu* 82: 2–6.
- Webster, R. 1988. *The superb parrot. A survey of the breeding distribution and habitat requirements*. Australian National Parks and Wildlife Service, Canberra.
- Wege, D.C. and Long, A.J. 1995. *Key Areas for Threatened Birds in the Neotropics*. BirdLife Conservation Series, BirdLife International Publications, Cambridge, UK.
- Wells, M. and Brandon, K. (with Lee Hannah). 1992. *People and parks: linking protected area management with local communities*. The World Bank, Washington, DC.
- Westrum, R. 1994. An organizational perspective: designing recovery teams from the inside out. Pp.327–349 In: T.W. Clark, R.P. Reading and A.L. Clarke (Eds) *Endangered species recovery: finding the lessons, improving the process*. Island Press, Washington DC.
- Wetmore, A. and Swales, B.H. 1931. The birds of Haiti and the Dominican Republic. *US National Museum Bulletin* 155.
- Wheeler, W.R. 1975. Report on rare and endangered species of birds from the Australian mainland. *Bull. Internatn. Counc. Bird Preserv.* 12: 159–264.
- White, C.M.N. and Bruce, M.D. 1986. *The birds of Wallacea (Sulawesi, the Moluccas and Lesser Sunda Islands, Indonesia): an annotated check-list*. British Ornithologists' Union (Check-list 7), London.
- Whitten, A.J., Bishop, K.D., Nash, S.V. and Clayton, L. 1987a. One or more extinctions from Sulawesi, Indonesia? *Conserv. Biol.* 1: 42–48.
- Whitten, A.J., Mustafa, M. and Henderson, G. 1987b. *Ecology of Sulawesi*. Gadjah Mada University Press, Yogyakarta.
- Wiedenfeld, D.A. 1993. *Status and management of Psittacines in northeastern Honduras*. CITES Secretariat (Lausanne, Switzerland), Corporación Hondureña de Desarrollo Forestal (COHDEFOR; Tegucigalpa, Honduras), and TRAFFIC USA (Washington, DC, USA).
- Wiedenfeld, D.A. 1994. A new subspecies of scarlet macaw *Ara macao* and its status and conservation. *Ornitología Neotropical* 5: 99–104.
- Wiedenfeld, D.A. 1995. *Status, management, and trade of Psittacines in Nicaragua*. Unpublished report to CITES Secretariat (Lausanne, Switzerland), Oficina de CITES-Nicaragua (Managua, Nicaragua), and Traffic USA (Washington, DC, USA).
- Wiley, J.W. 1980. The Puerto Rican Parrot *Amazona vittata*: its decline and the program for its conservation. Pp.133–159 In: R.F. Pasquier (Ed.) *Conservation of New World Parrots*. ICBP Tech. Publ. No. 1. ICBP/Smithsonian Inst. Press, Washington, DC.
- Wiley, J.W. 1985. The Puerto Rican Parrot and competition for its nest sites. Pp.213–223 In: P. Moors (Ed.) *Conservation of island birds*. International Council for Bird Preservation Technical Publication Number 3, Cambridge, UK.
- Wiley, J.W. 1991. Status and conservation of parrots and parakeets in the Greater Antilles, Bahama Islands, and Cayman Islands. *Bird Conservation International* 1: 187–214.
- Wiley, J.W. and Gee, G.F. 1981. Using captive propagation to help save the Puerto Rican Parrot. A.F.A. *Watchbird* 8(5): 4–11.
- Wiley, J.W. and Wunderle Jr., J.M. 1993. The effects of hurricanes on birds, with special reference to Caribbean islands. *Bird Conservation International* 3: 319–349.
- Wiley, J.W., Ground, D., Burton, F., Cross, S., Ebanks, G., Marsden, M., Scharr, P., Butler, P. and Prescott, K. 1991. *Report on surveys of the status and distribution of the Cayman Brac Parrot Amazona leucocephala hesterna*. Unpublished report to ICBP.
- Wiley, J.W., Snyder, N.F.R. and Gnam, R.S. 1992. Reintroduction as a conservation strategy for parrots. Pp.165–200 In: S.R. Beissinger and N.F.R. Snyder (Eds) *New World parrots in crisis: Solutions from conservation biology*. Smithsonian Institution Press, Washington, DC.
- Williams, G.R. and Given, D.R. 1981. *The Red Data Book of New Zealand*. Nature Conservation Council, Wellington.
- Wilson, K.-J. 1993. Observations of the Kurāmoó *Vini peruviana* on Aitutaki Island, Cook Islands. *Notornis* 40: 71–75.
- Wilson, M.H., C.B. Kepler, N.F.R. Snyder, S.R. Derrickson, F.J. Dein, J.W. Wiley, J.M. Wunderle, Jr., A.E. Lugo, D.L. Graham, and W.D. Toone. 1994. Puerto Rican Parrots and potential limitations of the metapopulation approach to species conservation. *Conservation Biology* 8:114–123.
- Wilson, P.R., Karl, B.J., Toft, R.J., Beggs, J.R. and Taylor, R.H. 1998. The role of introduced predators and competitors in the decline of kaka *Nestor meridionalis* populations in New Zealand. *Biological Conservation* 82: 175–185.



- Wingate, D. 1969. Unpublished report on the St. Lucia Parrot to ICBP.
- Wirmighaus, J.O. 1997. Cape Parrot *Poicephalus robustus*. In: J.A. Harrison, D.G. Allan, L.G. Underhill, M. Herremans, A.J. Tree, V. Parker and C.J. Brown (Eds). pp. 526–528. *The atlas of southern African birds*. Volume 1 Non-passerines. Academic Press, London.
- Woodford, M.H. and Rossiter, P.B. 1994. Disease risks associated with wildlife translocation projects. Pp.178–200 In: P.J.S. Olney, G. Mace and A.T.C. Feistner (Eds) *Creative conservation: interactive management of wild and captive animals*. Chapman and Hall, London.
- Woods, C.A. 1982. Wildlife conservation in Haiti. *Florida State Museum Notes* 11: 1–3.
- Woods, C.A. and Ottenwalder, J.A. 1987. The threatened and endangered birds of Haiti: lost horizons and new hopes. Pp.385–429 In: A.C. Risser (Ed.) *Proceedings of the Jean Delacour Symposium on breeding birds in captivity*. International Foundation for the Conservation of Birds, Los Angeles.
- Woods, C.A. and Ottenwalder, J.A. 1992. *The natural history of southern Haiti*. Florida Museum of Natural History, University of Florida, Gainesville.
- Yamashita, C. and França, J.T. 1991. A range extension of the Golden Parakeet *Aratinga guarouba* to Rondonia state, western Amazonia. *Ararajuba* 2: 91–92.
- Yamashita, C. and Machado de Barros, Y. 1997. The Blue Throated Macaw *Ara glaucogularis*: Characterization of its distinctive habitats in savannas of the Beni, Bolivia. *Ararajuba* 5: 141–150.
- Young, G. 1987. Notes on the nesting behaviour of the Echo Parakeet *Psittacula eques echo*. *Dodo* 24: 102–111.
- ZOS. 1980. *Zambian Ornithological Newsletter* 10: 158–159.
- ZOS. 1982. *Zambian Ornithological Newsletter* 12: 142.
- ZOS. 1994. *Zambian Ornithological Newsletter* 24: 136.

## Contact details

Further information may be obtained from the contacts listed below.

### Organisations

Association for Parrot Conservation,  
c/o Ernesto Enkerlin, President.  
Centro de Calidad Ambiental ITESM,  
Sucursal de Correos J, C.P.64849  
Monterrey N.L., Mexico.

BirdLife International, Wellbrook  
Court, Girton Road, Cambridge CB3  
0NA, UK  
(BirdLife International-Indonesia  
Programme, P.O. Box 310/Boo, Bogor  
16003, Indonesia).

BIRDS Australia Parrot Association,  
Australian Bird Research Centre, 415  
Riversdale Road, Hawthorn East,  
Victoria 3123, Australia.

Fundación Armonía, Alameda Junin  
48 Esq Florida, Casilla 3081, Santa  
Cruz, Bolivia.

Research Centre for African Parrot  
Conservation, Zoology and  
Entomology Department, Private Bag,  
X01, Scottsville, 3201, Natal, South  
Africa.

World Parrot Trust, Glanmor House,  
Hayle, Cornwall TR27 4HB, UK.

### Individuals

Des Allen,  
1158 NoGaYaCho, Machida Shi,  
Tokyo 195-0053 Japan.

Steven R. Beissinger,  
Division of Ecosystem Sciences,  
Department of Environmental  
Science, Policy and Management,  
Hillgard Hall #3110, University of  
California, Berkeley, CA 94720-3110,  
USA.

Glaysen Bencke,  
Rua Augusto Spengler 500/401. BL1,  
Santa Cruz do Sul RS, CEP 96815-  
020, Brazil.

Vicente Berovides,  
Empresa Nacional Para la Protección  
de la Flora y la Fauna, Programa  
especies en peligro, Av. 42 No. 514 esq  
7a Miramar, La Habana, Cuba.

Colin Bibby,  
BirdLife International, Wellbrook  
Court, Girton Road, Cambridge CB3  
0NA, UK.

John Blyth,  
Department of Conservation and  
Land Management, P.O. Box 51,  
Waneroo, WA 6065, Australia.

Tom Brooks,  
Department of Ecology and  
Evolutionary Biology, M313 Walters  
Life Science Building, University of  
Tennessee, Knoxville, TN37996-0810,  
USA.

Enrique Bucher,  
Centro de Zoología Aplicada, Casilla  
de Correos 122, Cordoba 5000,  
Argentina.

Allan Burbidge,  
Department of Conservation and  
Land Management, P.O. Box 51,  
Waneroo, WA 6065, Australia.

Paul Butler,  
RARE Center for Tropical  
Conservation PO Box GM755,  
Gablewoods Saint Lucia 809-4520864.

Nigel Collar,  
BirdLife International, Wellbrook  
Court, Girton Road, Cambridge CB3  
0NA, UK.

Charles Daugherty,  
School of Biological Sciences, Victoria  
University, P.O. Box 600, Wellington,  
New Zealand.

Leo Douglas,  
Gosse Bird Club (Birdlife Jamaica), 93  
Old Hope Roas, Kingston Jamaica  
West Indies.

Colleen Downs,  
Research Centre for African Parrot  
Conservation, Zoology and  
Entomology Department, Private Bag,  
X01, Scottsville, 3201, Natal, South  
Africa.

Eduardo E. Iñigo Elias, Conservation  
Director, Mexico Program Office,  
World Wildlife Fund, Av. Mexico 51;  
Col. Hipodromo, D.F. 06100, Mexico.  
Present Address: Fundación ARA,  
Aptdo. Postal 2275, Sucursal  
Monterrey, Nuevo León. C.P. 64988  
Mexico.

Graeme Elliot,  
Department of Conservation, Private  
Bag 5, Nelson, New Zealand.

Ernesto Enkerlin-Hoeflich,  
Centro de Calidad Ambiental ITESM,  
Sucursal de Correos J, C.P.64849  
Monterrey N.L., Mexico.

Leasie Felderhof,  
Queensland department of  
Environment, P.O. Box 2066, Cairns,  
Queensland, Australia.

Jeremy Flanagan,  
Fundación Ecológica ArcoIris, Casilla  
11-01-860, calles Bernardo Valdiviezo  
03-26 y Jose Felix Valdiviezo, Loja,  
Ecuador. Present address: ProAves  
Peru, PO Box 07, Piura, Peru.

Joseph Forshaw,  
P.O. Box 84, Wauchipe, New South  
Wales, 2446, Australia.

Mauro Galetti,  
Departamento de Botanica, UNESP,  
C.P. 199, 13506-900 Rio Claro, São  
Paulo, Brazil.

Xiomara Galvez,  
Empresa Nacional Para la Protección  
de la Flora y la Fauna, Programa  
especies en peligro, Av. 42 No. 514  
esq 7ma Miramar, La Habana, Cuba.

Stephen Garnett,  
Department of Environment and  
Heritage, P.O. Box 2066, Cairns 4870,  
Australia.

James Gilardi,  
Wildlife Preservation Trust  
International, 2320 Amapola Drive,  
Davis, CA 95616, USA.

Mariano Gimenez Dixon,  
Programme Officer, Species Survival  
Programme, IUCN-The World  
Conservation Union, Rue Mauverney  
28, CH-1196, Gland, Switzerland.

Alejandro Grajal,  
Latin America and Caribbean  
Program, National Audubon Society,  
444 Brickell Av. Suite 850, Miami FL  
33131-2405, USA.

Rosemarie Gnam,  
Office of Management Authority, US  
Fish Wildlife Service, 4401 N Fairfax  
Drive, Arlington VA 22203, USA.

Terry Greene,  
Science and Research Division,  
Department of Conservation,  
PO. Box, 10420, Wellington,  
New Zealand.

Neiva Guedes,  
Projeto ArarAzul, Rua Geraldo  
Jacques M. Lette 79, Conl Ma Apo  
Pedrossian, CEP 79044-480 Campo  
Grande/MS, Brazil.

Mark Holdsworth,  
Parks and Wildlife Service, GPO Box  
44A Hobart Tasmania 7001 Australia.

Eric Horstmann,  
Fundacion Probosque, Km. 15 Via La  
Costa, Aptdo. Postal 09-01-04243,  
Guayaquil, Ecuador.

Paul Jepson,  
BirdLife International-Indonesia  
Programme, P.O. Box 310/Boo, Bogor  
16003, Indonesia (current address:  
School of Geography, Oxford OX1  
3TB, UK).

Gustavo Kattan,  
Aptdo. Aéreo 25527, Carrera 80 N° 5-  
220 apto 407 U-3, Cali, Colombia.

Susan Koenig,  
School of Forestry and Environmental  
Studies, Prospect Street, Yale  
University, New Haven, Ct. 06511,  
USA. Present address: Windsor  
Research Station, Sherwood Content,  
Trelawny, Jamaica, W.I.

Niels Krabbe,  
Casilla 17-21-791, Quito, Ecuador

Frank Lambert,  
BirdLife International-Indonesia  
Programme, P.O. Box 310/Boo, Bogor  
16003, Indonesia.

Wendy Lee,  
Sevenoaks, Runaway Bay, Jamaica,  
West Indies.

Catherine Levy,  
Gosse Bird Club (Birdlife Jamaica),  
93 Old Hope Roas, Kingston Jamaica  
West Indies.

Pedro Lima,  
CETREL, S/A Via Atlantica Km9,  
Polo Petroquimico, CP 011-428810-  
000, Camaçari, Bahia, Brazil.

James Lowen,  
30 Suez Road, Cambridge CB1 3QB,  
UK.

Stuart Marsden,  
Department of Biological Sciences,  
John Dalton Building, Chester Street,  
Manchester M1 5GD, UK.

Jaime Martinez,  
Projeto Charão, Rua Presidente  
Vargas 190, Caixa Postal 37, CEP  
99500-000 Carazinho RS, Brazil.

Peter Mawson,  
Wildlife Branch, Department of  
Conservation and Land Management,  
P.O. Box 104, Como, WA 6152,  
Australia.

Phil McGowan,  
c/o World Parrot Trust, Glanmor  
House, Hayle, Cornwall TR27 4HY,  
UK.

Peter Menkhorst,  
Department of Natural Resources and  
Environment, 4/250 Victoria Parade,  
East Melbourne, Victoria 3002,  
Australia.

Carolyn Miller,  
P.O. Box 37, Belize City, Belize.

Teresa Mulliken,  
TRAFFIC International, 219c  
Huntingdon Road, Cambridge CB3  
0DL, UK.

Charles Munn,  
Aptdo 18-09-30, Lima 18, Peru.

Richard Noske,  
School of Biological and  
Environmental Sciences, Science  
Faculty, Northern Territory University,  
Darwin, NT 0909, Australia.

Fábio Olmos,  
Rua Antonio F. Gandra 182, São  
Vicente; SP, 11390-250, Brazil.

Michael J. Parr,  
American Bird Conservancy, 1250 24th  
Street, NW, Suite 400, Washington,  
DC 20037, USA.

Lynn Pedler,  
P.O. Box 41, Parndana SA 5220,  
Australia.

Mike Perrin,  
Research Centre for African Parrot  
Conservation, Zoology and  
Entomology Department, Private Bag,  
X01, Scottsville, 3201, Natal, South  
Africa.

Elin Pitter,  
Mette Bohn Christiansen, Zoological  
Museum, University of Copenhagen,  
Universitetsparken 15, DK 2100  
Copenhagen, Denmark.

Marco Aurelio Pizo,  
Dept de Zoologia. IB/Unicamp, Caixa  
Postal 6109, 13083-971 Campinas SP  
Brazil.

Pam Rasmussen,  
NHB 335 MRC 114, Smithsonian  
Institution, Washington, D.C. 20560,  
USA.

Luis Miguel Renjifo,  
University of Missouri-St. Louis,  
Department of Biology, Natural Bridge  
Road, St. Louis, Missouri 63121, USA.  
Present address: Instituto Von Humboldt,  
AA 8693, Bogota, Colombia.

Michael Reynolds,  
World Parrot Trust, Glanmor House,  
Hayle, Cornwall TR27 4HY, UK.

Adriana Rodriguez-Ferraro, Provita,  
Aptdo. 47552, Caracas, 1041-A,  
Venezuela.

Franklin Rojas-Suarez,  
Provita, Aptdo. 47552, Caracas,  
1041-A, Venezuela.

Alison Rosser,  
Trade Specialist Group, Species  
Survival Programme, IUCN-The World  
Conservation Union, 219c Huntingdon  
Road, Cambridge CB3 0DL, UK.

Paul G. W. Salaman,  
Edward Grey Institute of Field  
Ornithology, Department of Zoology,  
University of Oxford, South Parks  
Road, Oxford OX1 3PS, UK.

Virginia Sanz,  
Provita, Aptdo. 47552, Caracas, 1041-  
A, Venezuela.

Denis Saunders,  
CSIRO Wildlife and Ecology, PO Box  
84, Lyneham ACT 2602, Australia.

Pedro Scherer Neto,  
Museu de Historia Natural, Seção de  
Aves, Rua Benedito Conceição 407,  
Curitiba PR Brazil 82810-080.

Richard Selman,  
6 Aquila Drive, Heddon-on-the-Wall,  
Newcastle-upon-Tyne NE15 0BS, U.K.

Noel Snyder,  
Wildlife Preservation Trust, P.O. Box  
426, Portal, AZ 85632, USA.

Craig Symes,  
Research Centre for African Parrot  
Conservation, Zoology and  
Entomology Department, Private Bag,  
X01, Scottsville, 3201, Natal, South  
Africa.

Jon Riley,  
1 The Croft, North Sunderland,  
Seahouses, Northumberland NE68  
7XA, UK.

Paul Stevenson,  
Australian Parks National and Wildlife  
Service, Norfolk Island, Australia

E. Paul Toyne,  
WWF-UK, Panda House, Weyside  
Park, Cattershill Lane, Godalming,  
Surrey GU7 1XR, U.K.

Christopher Vaughan,  
Programa Regional de Vida Silvestre,  
Aptdo. 1350-3000, Escuela de Ciencias  
Ambientales, Universidad Nacional,  
Mexico.

Louise Warburton,  
Research Centre for African Parrot  
Conservation, Zoology and  
Entomology Department, Private Bag,  
X01, Scottsville, 3201, Natal, South  
Africa.

David Waugh,  
Fundacion Loro Parque, Bencomo  
No1, 38400 Puerto de la Cruz,  
Tenerife, Spain. Present address:  
Royal Zoological Society of Scotland,  
Edinburgh EH12 6TS, Scotland U.K.

David A. Wiedenfeld,  
George M. Sutton Avian Research  
Center, PO Box 2007, Bartlesville OK  
740056, 918-336-7778, USA.

James Wiley,  
USD. Interior, US Geological Survey,  
Grambling State Univ., PO Box.841,  
Grambling, LA 71245, USA.

Roger Wilkinson,  
Chester Zoo, Upton-by-Chester,  
Cheshire CH2 1LH, UK.

Kerry-Jayne Wilson,  
Entomology and Animal Ecology  
Department, Lincoln University,  
Canterbury, New Zealand.

Roland Wirth,  
Franz-Senn-Str. 14, 81377 Muenchen,  
Germany.

Tim Wright,  
Program in Comparative and  
Evolutionary Biology of Hearing,  
Department of Zoology, University of  
Maryland, College Park, MD 20742,  
USA.

Joseph M. Wunderle,  
International Institute of Tropical  
Forestry, US Forest Service, Box 490,  
Palmer Puerto Rico 00721.

Carlos Yamashita,  
Rua Voluntarios da Patria 3714 apto  
52, São Paulo SP-CEP 02402-400,  
Brazil.

# IUCN Red List Categories

Prepared by the IUCN Species Survival Commission  
As approved by the 40th Meeting of the IUCN Council, Gland, Switzerland  
30 November 1994

## I) Introduction

1. The threatened species categories now used in Red Data Books and Red Lists have been in place, with some modification, for almost 30 years. Since their introduction these categories have become widely recognised internationally, and they are now used in a whole range of publications and listings, produced by IUCN as well as by numerous governmental and non-governmental organisations. The Red Data Book categories provide an easily and widely understood method for highlighting those species under higher extinction risk, so as to focus attention on conservation measures designed to protect them.

2. The need to revise the categories has been recognised for some time. In 1984, the SSC held a symposium, 'The Road to Extinction' (Fitter and Fitter 1987), which examined the issues in some detail, and at which a number of options were considered for the revised system. However, no single proposal resulted. The current phase of development began in 1989 with a request from the SSC Steering Committee to develop a new approach that would provide the conservation community with useful information for action planning.

In this document, proposals for new definitions for Red List categories are presented. The general aim of the new system is to provide an explicit, objective framework for the classification of species according to their extinction risk.

The revision has several specific aims:

- to provide a system that can be applied consistently by different people;
- to improve the objectivity by providing those using the criteria with clear guidance on how to evaluate different factors which affect risk of extinction;
- to provide a system which will facilitate comparisons across widely different taxa;
- to give people using threatened species lists a better understanding of how individual species were classified.

3. The proposals presented in this document result from a continuing process of drafting, consultation and validation. It was clear that the production of a large number of draft proposals led to some confusion, especially as each draft has been used for classifying some set of species for conservation purposes. To clarify matters, and to open the way for modifications as and when they became necessary, a system for version numbering was applied as follows:

### **Version 1.0: Mace & Lande (1991)**

The first paper discussing a new basis for the categories, and presenting numerical criteria especially relevant for large vertebrates.

### **Version 2.0: Mace *et al.* (1992)**

A major revision of Version 1.0, including numerical criteria appropriate to all organisms and introducing the non-threatened categories.

### **Version 2.1: IUCN (1993)**

Following an extensive consultation process within SSC, a number of changes were made to the details of the criteria, and fuller explanation of basic principles was included. A more explicit structure clarified the significance of the non-threatened categories.

### **Version 2.2: Mace & Stuart (1994)**

Following further comments received and additional validation exercises, some minor changes to the criteria were made. In addition, the Susceptible category present in Versions 2.0 and 2.1 was subsumed into the Vulnerable category. A precautionary application of the system was emphasised.

### **Final Version**

This final document, which incorporates changes as a result of comments from IUCN members, was adopted by the IUCN Council in December 1994.

All future taxon lists including categorisations should be based on this version, and not the previous ones.

4. In the rest of this document the proposed system is outlined in several sections. The Preamble presents some basic information about the context and structure of the proposal, and the procedures that are to be followed in applying the definitions to species. This is followed by a section giving definitions of terms used. Finally the definitions are presented, followed by the quantitative criteria used for classification within the threatened categories. It is important for the effective functioning of the new system that all sections are read and understood, and the guidelines followed.

## **References:**

- Fitter, R., and M. Fitter, ed. (1987) *The Road to Extinction*. Gland, Switzerland: IUCN.
- IUCN. (1993) *Draft IUCN Red List Categories*. Gland, Switzerland: IUCN.
- Mace, G. M. *et al.* (1992) "The development of new criteria for listing species on the IUCN Red List." *Species* 19: 16–22.
- Mace, G. M., and R. Lande. (1991) "Assessing extinction threats: toward a reevaluation of IUCN threatened species categories." *Conserv. Biol.* 5.2: 148–157.
- Mace, G. M. & S. N. Stuart. (1994) "Draft IUCN Red List Categories, Version 2.2". *Species* 21–22: 13–24.

## II) Preamble

The following points present important information on the use and interpretation of the categories (= Critically Endangered, Endangered, etc.), criteria (= A to E), and sub-criteria (= a, b etc., i, ii etc.):

### 1. Taxonomic level and scope of the categorisation process

The criteria can be applied to any taxonomic unit at or below the species level. The term 'taxon' in the following notes, definitions and criteria is used for convenience, and may represent species or lower taxonomic levels, including forms that are not yet formally described. There is a sufficient range among the different criteria to enable the appropriate listing of taxa from the complete taxonomic spectrum, with the exception of micro-organisms. The criteria may also be applied within any specified geographical or political area although in such cases special notice should be taken of point 11 below. In presenting the results of applying the criteria, the taxonomic unit and area under consideration should be made explicit. The categorisation process should only be applied to wild populations inside their natural range, and to populations resulting from benign introductions (defined in the draft IUCN Guidelines for Re-introductions as "... an attempt to establish a species, for the purpose of conservation, outside its recorded distribution, but within an appropriate habitat and ecogeographical area").

### 2. Nature of the categories

All taxa listed as Critically Endangered qualify for Vulnerable and Endangered, and all listed as Endangered qualify for Vulnerable. Together these categories are described as 'threatened'. The threatened species categories form a part of the overall scheme. It will be possible to place all taxa into one of the categories (see Figure 1).

### 3. Role of the different criteria

For listing as Critically Endangered, Endangered or Vulnerable there is a range of quantitative criteria; meeting any one of these criteria qualifies a taxon for listing at that level of threat. Each species should be evaluated against all the criteria. The different criteria (A–E) are derived from a wide review aimed at detecting risk factors across the broad range of organisms and the diverse life histories they exhibit. Even though some criteria will be inappropriate for certain taxa (some taxa will

never qualify under these however close to extinction they come), there should be criteria appropriate for assessing threat levels for any taxon (other than micro-organisms). The relevant factor is whether any one criterion is met, not whether all are appropriate or all are met. Because it will never be clear which criteria are appropriate for a particular species in advance, each species should be evaluated against all the criteria, and any criterion met should be listed.

### 4. Derivation of quantitative criteria

The quantitative values presented in the various criteria associated with threatened categories were developed through wide consultation and they are set at what are generally judged to be appropriate levels, even if no formal justification for these values exists. The levels for different criteria within categories were set independently but against a common standard. Some broad consistency between them was sought. However, a given taxon should not be expected to meet all criteria (A–E) in a category; meeting any one criterion is sufficient for listing.

### 5. Implications of listing

Listing in the categories of Not Evaluated and Data Deficient indicates that no assessment of extinction risk has been made, though for different reasons. Until such time as an assessment is made, species listed in these categories should not be treated as if they were non-threatened, and it may be appropriate (especially for Data Deficient forms) to give them the same degree of protection as threatened taxa, at least until their status can be evaluated.

Extinction is assumed here to be a chance process. Thus, a listing in a higher extinction risk category implies a higher expectation of extinction, and over the time-frames specified more taxa listed in a higher category are expected to go extinct than in a lower one (without effective conservation action). However, the persistence of some taxa in high risk categories does not necessarily mean their initial assessment was inaccurate.

### 6. Data quality and the importance of inference and projection


The criteria are clearly quantitative in nature. However, the absence of high quality data should not deter attempts at applying the criteria, as methods involving estimation, inference and projection are emphasised to be acceptable throughout. Inference and projection may be based on extrapolation of current or potential threats into the future (including their rate of change), or of factors related to population abundance or distribution (including dependence on other taxa), so long as these can reasonably be supported. Suspected or inferred patterns in either the recent past, present or near future can be based on any of a series of related factors, and these factors should be specified.

Taxa at risk from threats posed by future events of low probability but with severe consequences (catastrophes) should be identified by the criteria (e.g. small distributions, few locations). Some threats need to be identified particularly early, and appropriate actions taken, because their effects are irreversible, or nearly so (pathogens, invasive organisms, hybridization).

### 7. Uncertainty

The criteria should be applied on the basis of the available evidence on taxon numbers, trend and distribution, making due allowance for statistical and other uncertainties. Given that data are rarely available for the whole range or population of a taxon, it may often be appropriate to use the information

Figure 1: Structure of the Categories



that is available to make intelligent inferences about the overall status of the taxon in question. In cases where a wide variation in estimates is found, it is legitimate to apply the precautionary principle and use the estimate (providing it is credible) that leads to listing in the category of highest risk.

Where data are insufficient to assign a category (including Lower Risk), the category of 'Data Deficient' may be assigned. However, it is important to recognise that this category indicates that data are inadequate to determine the degree of threat faced by a taxon, not necessarily that the taxon is poorly known. In cases where there are evident threats to a taxon through, for example, deterioration of its only known habitat, it is important to attempt threatened listing, even though there may be little direct information on the biological status of the taxon itself. The category 'Data Deficient' is not a threatened category, although it indicates a need to obtain more information on a taxon to determine the appropriate listing.

### **8. Conservation actions in the listing process**

The criteria for the threatened categories are to be applied to a taxon whatever the level of conservation action affecting it. In cases where it is only conservation action that prevents the taxon from meeting the threatened criteria, the designation of 'Conservation Dependent' is appropriate. It is important to emphasise here that a taxon require conservation action even if it is not listed as threatened.

### **9. Documentation**

All taxon lists including categorisation resulting from these criteria should state the criteria and sub-criteria that were met. No listing can be accepted as valid unless at least one criterion is given. If more than one criterion or sub-criterion was met, then each should be listed. However, failure to mention a criterion should not necessarily imply that it was not met. Therefore, if a re-evaluation indicates that the documented criterion is no longer met, this should not result in automatic down-listing. Instead, the taxon should be re-evaluated with respect to all criteria to indicate its status. The factors responsible for triggering the criteria, especially where inference and projection are used, should at least be logged by the evaluator, even if they cannot be included in published lists.

### **10. Threats and priorities**

The category of threat is not necessarily sufficient to determine priorities for conservation action. The category of threat simply provides an assessment of the likelihood of extinction under current circumstances, whereas a system for assessing priorities for action will include numerous other factors concerning conservation action such as costs, logistics, chances of success, and even perhaps the taxonomic distinctiveness of the subject.

### **11. Use at regional level**

The criteria are most appropriately applied to whole taxa at a global scale, rather than to those units defined by regional or national boundaries. Regionally or nationally based threat categories, which are aimed at including taxa that are threatened at regional or national levels (but not necessarily throughout their global ranges), are best used with two key pieces of information: the global status category for the taxon, and the proportion of the global population or range that occurs within the region or nation. However, if applied at regional or national level it must be recognised that a global category of threat may not be the same as a regional or national category for a particular taxon. For example, taxa classified as Vulnerable on the basis of their global declines in numbers or range might

be Lower Risk within a particular region where their populations are stable. Conversely, taxa classified as Lower Risk globally might be Critically Endangered within a particular region where numbers are very small or declining, perhaps only because they are at the margins of their global range. IUCN is still in the process of developing guidelines for the use of national red list categories.

### **12. Re-evaluation**

Evaluation of taxa against the criteria should be carried out at appropriate intervals. This is especially important for taxa listed under Near Threatened, or Conservation Dependent, and for threatened species whose status is known or suspected to be deteriorating.

### **13. Transfer between categories**

There are rules to govern the movement of taxa between categories. These are as follows: (A) A taxon may be moved from a category of higher threat to a category of lower threat if none of the criteria of the higher category has been met for five years or more. (B) If the original classification is found to have been erroneous, the taxon may be transferred to the appropriate category or removed from the threatened categories altogether, without delay (but see Section 9). (C) Transfer from categories of lower to higher risk should be made without delay.

### **14. Problems of scale**

Classification based on the sizes of geographic ranges or the patterns of habitat occupancy is complicated by problems of spatial scale. The finer the scale at which the distributions or habitats of taxa are mapped, the smaller the area will be that they are found to occupy. Mapping at finer scales reveals more areas in which the taxon is unrecorded. It is impossible to provide any strict but general rules for mapping taxa or habitats; the most appropriate scale will depend on the taxa in question, and the origin and comprehensiveness of the distributional data. However, the thresholds for some criteria (e.g. Critically Endangered) necessitate mapping at a fine scale.

## **III) Definitions**

### **1. Population**

Population is defined as the total number of individuals of the taxon. For functional reasons, primarily owing to differences between life-forms, population numbers are expressed as numbers of mature individuals only. In the case of taxa obligately dependent on other taxa for all or part of their life cycles, biologically appropriate values for the host taxon should be used.

### **2. Subpopulations**

Subpopulations are defined as geographically or otherwise distinct groups in the population between which there is little exchange (typically one successful migrant individual or gamete per year or less).

### **3. Mature individuals**

The number of mature individuals is defined as the number of individuals known, estimated or inferred to be capable of reproduction. When estimating this quantity the following points should be borne in mind:

- Where the population is characterised by natural fluctuations the minimum number should be used.

- This measure is intended to count individuals capable of reproduction and should therefore exclude individuals that are environmentally, behaviourally or otherwise reproductively suppressed in the wild.
- In the case of populations with biased adult or breeding sex ratios it is appropriate to use lower estimates for the number of mature individuals which take this into account (e.g. the estimated effective population size).
- Reproducing units within a clone should be counted as individuals, except where such units are unable to survive alone (e.g. corals).
- In the case of taxa that naturally lose all or a subset of mature individuals at some point in their life cycle, the estimate should be made at the appropriate time, when mature individuals are available for breeding.

#### 4. Generation

Generation may be measured as the average age of parents in the population. This is greater than the age at first breeding, except in taxa where individuals breed only once.

#### 5. Continuing decline

A continuing decline is a recent, current or projected future decline whose causes are not known or not adequately controlled and so is liable to continue unless remedial measures are taken. Natural fluctuations will not normally count as a continuing decline, but an observed decline should not be considered to be part of a natural fluctuation unless there is evidence for this.

#### 6. Reduction

A reduction (criterion A) is a decline in the number of mature individuals of at least the amount (%) stated over the time period (years) specified, although the decline need not still be continuing. A reduction should not be interpreted as part of a natural fluctuation unless there is good evidence for this. Downward trends that are part of natural fluctuations will not normally count as a reduction.

#### 7. Extreme fluctuations


Extreme fluctuations occur in a number of taxa where population size or distribution area varies widely, rapidly and frequently, typically with a variation greater than one order of magnitude (i.e. a tenfold increase or decrease).

#### 8. Severely fragmented

Severely fragmented refers to the situation where increased extinction risks to the taxon result from the fact that most individuals within a taxon are found in small and relatively isolated subpopulations. These small subpopulations may go extinct, with a reduced probability of recolonisation.

#### 9. Extent of occurrence

Extent of occurrence is defined as the area contained within the shortest continuous imaginary boundary which can be drawn to encompass all the known, inferred or projected sites of present occurrence of a taxon, excluding cases of vagrancy. This measure may exclude discontinuities or disjunctions within the overall distributions of taxa (e.g. large areas of obviously unsuitable habitat) (but see 'area of occupancy'). Extent of occurrence can often be measured by a minimum convex polygon (the smallest polygon in which no internal angle exceeds 180 degrees and which contains all the sites of occurrence).



**Figure 2:** Two examples of the distinction between extent of occurrence and area of occupancy. (a) is the spatial distribution of known, inferred or projected sites of occurrence. (b) shows one possible boundary to the extent of occurrence, which is the measured area within this boundary. (c) shows one measure of area of occupancy which can be measured by the sum of the occupied grid squares.

#### 10. Area of occupancy

Area of occupancy is defined as the area within its 'extent of occurrence' (see definition) which is occupied by a taxon, excluding cases of vagrancy. The measure reflects the fact that a taxon will not usually occur throughout the area of its extent of occurrence, which may, for example, contain unsuitable habitats. The area of occupancy is the smallest area essential at any stage to the survival of existing populations of a taxon (e.g. colonial nesting sites, feeding sites for migratory taxa). The size of the area of occupancy will be a function of the scale at which it is measured, and should be at a scale appropriate to relevant biological aspects of the taxon. The criteria include values in km<sup>2</sup>, and thus to avoid errors in classification, the area of occupancy should be measured on grid squares (or equivalents) which are sufficiently small (see Figure 2).

#### 11. Location

Location defines a geographically or ecologically distinct area in which a single event (e.g. pollution) will soon affect all individuals of the taxon present. A location usually, but not always, contains all or part of a subpopulation of the taxon, and is typically a small proportion of the taxon's total distribution.



## 12. Quantitative analysis

A quantitative analysis is defined here as the technique of population viability analysis (PVA), or any other quantitative form of analysis, which estimates the extinction probability of a taxon or population based on the known life history and specified management or non-management options. In presenting the results of quantitative analyses the structural equations and the data should be explicit.

## IV) The Categories <sup>1</sup>

### EXTINCT (EX)

A taxon is Extinct when there is no reasonable doubt that the last individual has died.

### EXTINCT IN THE WILD (EW)

A taxon is Extinct in the wild when it is known only to survive in cultivation, in captivity or as a naturalised population (or populations) well outside the past range. A taxon is presumed extinct in the wild when exhaustive surveys in known and/or expected habitat, at appropriate times (diurnal, seasonal, annual), throughout its historic range have failed to record an individual. Surveys should be over a time frame appropriate to the taxon's life cycle and life form.

### CRITICALLY ENDANGERED (CR)

A taxon is Critically Endangered when it is facing an extremely high risk of extinction in the wild in the immediate future, as defined by any of the criteria (A to E) on pages 175–176.

### ENDANGERED (EN)

A taxon is Endangered when it is not Critically Endangered but is facing a very high risk of extinction in the wild in the near future, as defined by any of the criteria (A to E) on page 176.

### VULNERABLE (VU)

A taxon is Vulnerable when it is not Critically Endangered or Endangered but is facing a high risk of extinction in the wild in the medium-term future, as defined by any of the criteria (A to D) on pages 176 and 177.

### LOWER RISK (LR)

A taxon is Lower Risk when it has been evaluated, does not satisfy the criteria for any of the categories Critically Endangered, Endangered or Vulnerable. Taxa included in the Lower Risk category can be separated into three subcategories:

1. **Conservation Dependent (cd).** Taxa which are the focus of a continuing taxon-specific or habitat-specific conservation programme targeted towards the taxon in question, the cessation of which would result in the taxon qualifying for one of the threatened categories above within a period of five years.
2. **Near Threatened (nt).** Taxa which do not qualify for Conservation Dependent, but which are close to qualifying for Vulnerable.
3. **Least Concern (lc).** Taxa which do not qualify for Conservation Dependent or Near Threatened.

### DATA DEFICIENT (DD)

A taxon is Data Deficient when there is inadequate information to make a direct, or indirect, assessment of its

risk of extinction based on its distribution and/or population status. A taxon in this category may be well studied, and its biology well known, but appropriate data on abundance and/or distribution is lacking. Data Deficient is therefore not a category of threat or Lower Risk. Listing of taxa in this category indicates that more information is required and acknowledges the possibility that future research will show that threatened classification is appropriate. It is important to make positive use of whatever data are available. In many cases great care should be exercised in choosing between DD and threatened status. If the range of a taxon is suspected to be relatively circumscribed, if a considerable period of time has elapsed since the last record of the taxon, threatened status may well be justified.

### NOT EVALUATED (NE)

A taxon is Not Evaluated when it has not yet been assessed against the criteria.

## V) The Criteria for Critically Endangered, Endangered and Vulnerable

### CRITICALLY ENDANGERED (CR)

A taxon is Critically Endangered when it is facing an extremely high risk of extinction in the wild in the immediate future, as defined by any of the following criteria (A to E):

A) Population reduction in the form of either of the following:

- 1) An observed, estimated, inferred or suspected reduction of at least 80% over the last 10 years or three generations, whichever is the longer, based on (and specifying) any of the following:
  - a) direct observation
  - b) an index of abundance appropriate for the taxon
  - c) a decline in area of occupancy, extent of occurrence and/or quality of habitat
  - d) actual or potential levels of exploitation
  - e) the effects of introduced taxa, hybridisation, pathogens, pollutants, competitors or parasites.

- 2) A reduction of at least 80%, projected or suspected to be met within the next 10 years or three generations, whichever is the longer, based on (and specifying) any of (b), (c), (d) or (e) above.

B) Extent of occurrence estimated to be less than 100km<sup>2</sup> or area of occupancy estimated to be less than 10km<sup>2</sup>, and estimates indicating any two of the following:

- 1) Severely fragmented or known to exist at only a single location.
- 2) Continuing decline, observed, inferred or projected, in any of the following:
  - a) extent of occurrence
  - b) area of occupancy
  - c) area, extent and/or quality of habitat
  - d) number of locations or subpopulations
  - e) number of mature individuals.

3) Extreme fluctuations in any of the following:

- a) extent of occurrence
- b) area of occupancy
- c) number of locations or subpopulations
- d) number of mature individuals.

- C) Population estimated to number less than 250 mature individuals and either:
- 1) An estimated continuing decline of at least 25% within three years or one generation, whichever is longer or
  - 2) A continuing decline, observed, projected, or inferred, in numbers of mature individuals and population structure in the form of either:
    - a) severely fragmented (i.e. no subpopulation estimated to contain more than 50 mature individuals)
    - b) all individuals are in a single subpopulation.
- D) Population estimated to number less than 50 mature individuals.
- E) Quantitative analysis showing the probability of extinction in the wild is at least 50% within 10 years or three generations, whichever is the longer.

**ENDANGERED (EN)**

A taxon is Endangered when it is not Critically Endangered but is facing a very high risk of extinction in the wild in the near future, as defined by any of the following criteria (A to E):

- A) Population reduction in the form of either of the following:
- 1) An observed, estimated, inferred or suspected reduction of at least 50% over the last 10 years or three generations, whichever is the longer, based on (and specifying) any of the following:
    - a) direct observation
    - b) an index of abundance appropriate for the taxon
    - c) a decline in area of occupancy, extent of occurrence and/or quality of habitat
    - d) actual or potential levels of exploitation
    - e) the effects of introduced taxa, hybridisation, pathogens, pollutants, competitors or parasites.
  - 2) A reduction of at least 50%, projected or suspected to be met within the next 10 years or three generations, whichever is the longer, based on (and specifying) any of (b), (c), (d), or (e) above.
- B) Extent of occurrence estimated to be less than 5000km<sup>2</sup> or area of occupancy estimated to be less than 500km<sup>2</sup>, and estimates indicating any two of the following:
- 1) Severely fragmented or known to exist at no more than five locations.
  - 2) Continuing decline, inferred, observed or projected, in any of the following:
    - a) extent of occurrence
    - b) area of occupancy
    - c) area, extent and/or quality of habitat
    - d) number of locations or subpopulations
    - e) number of mature individuals.
  - 3) Extreme fluctuations in any of the following:
    - a) extent of occurrence
    - b) area of occupancy
    - c) number of locations or subpopulations
    - d) number of mature individuals.

- C) Population estimated to number less than 2500 mature individuals and either:
- 1) An estimated continuing decline of at least 20% within five years or two generations, whichever is longer, or
  - 2) A continuing decline, observed, projected, or inferred, in numbers of mature individuals and population structure in the form of either:
    - a) severely fragmented (i.e. no subpopulation estimated to contain more than 250 mature individuals)
    - b) all individuals are in a single subpopulation.
- D) Population estimated to number less than 250 mature individuals.
- E) Quantitative analysis showing the probability of extinction in the wild is at least 20% within 20 years or five generations, whichever is the longer.

**VULNERABLE (VU)**

A taxon is Vulnerable when it is not Critically Endangered or Endangered but is facing a high risk of extinction in the wild in the medium-term future, as defined by any of the following criteria (A to E):

- A) Population reduction in the form of either of the following:
- 1) An observed, estimated, inferred or suspected reduction of at least 20% over the last 10 years or three generations, whichever is the longer, based on (and specifying) any of the following:
    - a) direct observation
    - b) an index of abundance appropriate for the taxon
    - c) a decline in area of occupancy, extent of occurrence and/or quality of habitat
    - d) actual or potential levels of exploitation
    - e) the effects of introduced taxa, hybridisation, pathogens, pollutants, competitors or parasites.
  - 2) A reduction of at least 20%, projected or suspected to be met within the next ten years or three generations, whichever is the longer, based on (and specifying) any of (b), (c), (d) or (e) above.
- B) Extent of occurrence estimated to be less than 20,000km<sup>2</sup> or area of occupancy estimated to be less than 2000km<sup>2</sup>, and estimates indicating any two of the following:
- 1) Severely fragmented or known to exist at no more than ten locations.
  - 2) Continuing decline, inferred, observed or projected, in any of the following:
    - a) extent of occurrence
    - b) area of occupancy
    - c) area, extent and/or quality of habitat
    - d) number of locations or subpopulations
    - e) number of mature individuals
  - 3) Extreme fluctuations in any of the following:
    - a) extent of occurrence
    - b) area of occupancy
    - c) number of locations or subpopulations
    - d) number of mature individuals

- C) Population estimated to number less than 10,000 mature individuals and either:
- 1) An estimated continuing decline of at least 10% within 10 years or three generations, whichever is longer, or
  - 2) A continuing decline, observed, projected, or inferred, in numbers of mature individuals and population structure in the form of either:
    - a) severely fragmented (i.e. no subpopulation estimated to contain more than 1000 mature individuals)
    - b) all individuals are in a single subpopulation
- D) Population very small or restricted in the form of either of the following:
- 1) Population estimated to number less than 1000 mature individuals.
  - 2) Population is characterised by an acute restriction in its area of occupancy (typically less than 100km<sup>2</sup>) or in the number of locations (typically less than five). Such a taxon would thus be prone to the effects of human activities (or stochastic events whose impact is increased by human activities) within a very short period of time in an unforeseeable future, and is thus capable of becoming Critically Endangered or even Extinct in a very short period.
- E) Quantitative analysis showing the probability of extinction in the wild is at least 10% within 100 years.

*Note: copies of the IUCN Red List Categories booklet, are available on request from IUCN (address on back cover of this Action Plan)*

<sup>1</sup> Note: As in previous IUCN categories, the abbreviation of each category (in parenthesis) follows the English denominations when translated into other languages.

# IUCN/SSC Action Plans for the Conservation of Biological Diversity

*Action Plan for African Primate Conservation: 1986-1990.* Compiled by J.F. Oates and the IUCN/SSC Primate Specialist Group, 1986, 41 pp. (Out of print.)

*Action Plan for Asian Primate Conservation: 1987-1991.* Compiled by A.A. Eudey and the IUCN/SSC Primate Specialist Group, 1987, 65 pp. (Out of print.)

*Antelopes. Global Survey and Regional Action Plans. Part 1. East and Northeast Africa.* Compiled by R. East and the IUCN/SSC Antelope Specialist Group, 1988, 96 pp. (Out of print.)

*Dolphins, Porpoises and Whales. An Action Plan for the Conservation of Biological Diversity: 1988-1992.* Second Edition. Compiled by W.F. Perrin and the IUCN/SSC Cetacean Specialist Group, 1989, 27 pp. (Out of print.)

*The Kouprey. An Action Plan for its Conservation.* Compiled by J.R. MacKinnon, S.N. Stuart and the IUCN/SSC Asian Wild Cattle Specialist Group, 1988, 19 pp. (Out of print.)

*Weasels, Civets, Mongooses and their Relatives. An Action Plan for the Conservation of Mustelids and Viverrids.* Compiled by A. Schreiber, R. Wirth, M. Riffel, H. van Rompaey and the IUCN/SSC Mustelid and Viverrid Specialist Group, 1989, 99 pp. (Out of Print.)

*Antelopes. Global Survey and Regional Action Plans. Part 2. Southern and South-central Africa.* Compiled by R. East and the IUCN/SSC Antelope Specialist Group, 1989, 96 pp. (Out of print.)

*Asian Rhinos. An Action Plan for their Conservation.* Compiled by Mohd Khan bin Momin Khan and the IUCN/SSC Asian Rhino Specialist Group, 1989, 23 pp. (Out of print.)

*Tortoises and Freshwater Turtles. An Action Plan for their Conservation.* Compiled by the IUCN/SSC Tortoise and Freshwater Turtle Specialist Group, 1989, 47 pp.

*African Elephants and Rhinos. Status Survey and Conservation Action Plan.* Compiled by D.H.M. Cumming, R.F. du Toit, S.N. Stuart and the IUCN/SSC African Elephant and Rhino Specialist Group, 1990, 73 pp. (Out of print.)

*Foxes, Wolves, Jackals, and Dogs. An Action Plan for the Conservation of Canids.* Compiled by J.R. Ginsberg, D.W. Macdonald, and the IUCN/SSC Canid and Wolf Specialist Groups, 1990, 116 pp.

*The Asian Elephant. An Action Plan for its Conservation.* Compiled by C. Santiapillai, P. Jackson, and the IUCN/SSC Asian Elephant Specialist Group, 1990, 79 pp.

*Antelopes. Global Survey and Regional Action Plans. Part 3. West and Central Africa.* Compiled by R. East and the IUCN/SSC Antelope Specialist Group, 1990, 171 pp.

*Otters. An Action Plan for their Conservation.* Compiled by P. Foster-Turley, S. Macdonald, C. Mason and the IUCN/SSC Otter Specialist Group, 1990, 126 pp.

*Rabbits, Hares and Pikas. Status Survey and Conservation Action Plan.* Compiled by J.A. Chapman, J.E.C. Flux, and the IUCN/SSC Lagomorph Specialist Group, 1990, 168 pp.

*Insectivora and Elephant-Shrews. An Action Plan for their Conservation.* Compiled by M.E. Nicoll, G.B. Rathbun and the IUCN/SSC Insectivore, Tree-Shrew and Elephant-Shrew Specialist Group, 1990, 53 pp.

*Swallowtail Butterflies. An Action Plan for their Conservation.* Compiled by T.R. New, N.M. Collins and the IUCN/SSC Lepidoptera Specialist Group, 1991, 36 pp.

*Crocodiles. An Action Plan for their Conservation.* Compiled by J. Thorbjarnarson, H. Messel, F.W. King, J.P. Ross and the IUCN/SSC Crocodile Specialist Group, 1992, 136 pp.

*South American Camelids. An Action Plan for their Conservation.* Compiled by H. Torres and the IUCN/SSC South American Camelid Specialist Group, 1992, 58 pp.

*Australasian Marsupials and Monotremes. An Action Plan for their Conservation.* Compiled by M. Kennedy and the IUCN/SSC Australasian Marsupial and Monotreme Specialist Group, 1992, 103 pp.

*Lemurs of Madagascar. An Action Plan for their Conservation: 1993-1999.* Compiled by R.A. Mittermeier, W.R. Konstant, M.E. Nicoll, O. Langrand and the IUCN/SSC Primate Specialist Group, 1992, 58 pp. (Out of print.)

*Zebras, Asses and Horses. An Action Plan for the Conservation of Wild Equids.* Compiled by P. Duncan and the IUCN/SSC Equid Specialist Group, 1992, 36 pp.

*Old World Fruit Bats. An Action Plan for their Conservation.* Compiled by S. Mickleburgh, A.M. Hutson, P.A. Racey and the IUCN/SSC Chiroptera Specialist Group, 1992, 252 pp. (Out of print.)

*Seals, Fur Seals, Sea Lions, and Walrus. Status Survey and Conservation Action Plan.* Peter Reijnders, Sophie Brasseur, Jaap van der Toorn, Peter van der Wolf, Ian Boyd, John Harwood, David Lavigne, Lloyd Lowry, and the IUCN/SSC Seal Specialist Group, 1993, 88 pp.

- Pigs, Peccaries, and Hippos. Status Survey and Conservation Action Plan.* Edited by William L.R. Oliver and the IUCN/SSC Pigs and Peccaries Specialist Group and the IUCN/SSC Hippo Specialist Group, 1993, 202 pp.
- The Red Panda, Olingos, Coatis, Raccoons, and their Relatives. Status Survey and Conservation Action Plan for Procyonids and Ailurids.* (In English and Spanish) Compiled by Angela R. Glatston and the IUCN/SSC Mustelid, Viverrid, and Procyonid Specialist Group, 1994, 103 pp.
- Dolphins, Porpoises, and Whales. 1994–1998 Action Plan for the Conservation of Cetaceans.* Compiled by Randall R. Reeves and Stephen Leatherwood together with the IUCN/SSC Cetacean Specialist Group, 1994, 91 pp.
- Megapodes. An Action Plan for their Conservation 1995–1999.* Compiled by René W.R.J. Dekker, Philip J.K. McGowan and the WPA/BirdLife/SSC Megapode Specialist Group, 1995, 41 pp.
- Partridges, Quails, Francolins, Snowcocks and Guineafowl. Status survey and Conservation Action Plan 1995–1999.* Compiled by Philip J.K. McGowan, Simon D. Dowell, John P. Carroll and Nicholas J.A. Aebischer and the WPA/BirdLife/SSC Partridge, Quail and Francolin Specialist Group. 1995, 102 pp.
- Pheasants: Status Survey and Conservation Action Plan 1995–1999.* Compiled by Philip J.K. McGowan and Peter J. Garson on behalf of the WPA/BirdLife/SSC Pheasant Specialist Group, 1995, 116 pp.
- Wild Cats: Status Survey and Conservation Action Plan.* Compiled and edited by Kristin Nowell and Peter Jackson and the IUCN/SSC Cat Specialist Group, 1996, 406 pp.
- Eurasian Insectivores and Tree Shrews: Status Survey and Conservation Action Plan.* Compiled by David Stone and the IUCN/SSC Insectivore, Tree Shrew and Elephant Shrew Specialist Group. 1996, 108 pp.
- African Primates: Status Survey and Conservation Action Plan (Revised edition).* Compiled by John F. Oates and the IUCN/SSC Primate Specialist Group. 1996, 80 pp.
- The Cranes: Status Survey and Conservation Action Plan.* Compiled by Curt D. Meine and George W. Archibald and the IUCN/SSC Crane Specialist Group, 1996, 401 pp.
- Orchids: Status Survey and Conservation Action Plan.* Edited by Eric Hágsater and Vinciane Dumont, compiled by Alec Pridgeon and the IUCN/SSC Orchid Specialist Group, 1996, 153 pp.
- Palms: Their Conservation and Sustained Utilization. Status Survey and Conservation Action Plan.* Edited by Dennis Johnson and the IUCN/SSC Palm Specialist Group, 1996, 116 pp.
- Conservation of Mediterranean Island Plants. 1. Strategy for Action.* Compiled by O. Delanoë, B. de Montmollin, L. Olivier and the IUCN/SSC Mediterranean Islands Plant Specialist Group, 1996, 106 pp.
- Asian Rhinos: Status Survey and Conservation Action Plan (Second edition).* Edited by Thomas J. Foose and Nico van Strien and the IUCN/SSC Asian Rhino Specialist Group, 1997, 112 pp.
- Wild Sheep and Goats and their relatives: Status Survey and Conservation Action Plan.* Edited by David M. Shackleton and the IUCN/SSC Caprinae Specialist Group, 1997, 390 pp.
- The Ethiopian Wolf: Status Survey and Conservation Action Plan.* Compiled and edited by Claudio Sillero-Zubiri and David Macdonald and the IUCN/SSC Canid Specialist Group, 1997, 123pp.
- Cactus and Succulent Plants. Status Survey and Conservation Action Plan.* Compiled by Sara Oldfield and the IUCN/SSC Cactus and Succulent Specialist Group, 1997, 212 + x pp.
- Dragonflies. Status Survey and Conservation Action Plan.* Compiled by Norman W. Moore and the IUCN/SSC Odonata Specialist Group, 1997, 28 + v pp.
- The African Wild Dog. Status Survey and Conservation Action Plan.* Compiled and edited by Rosie Woodroffe, Joshua Ginsberg and David Macdonald and the IUCN/SSC Canid Specialist Group, 1997, 166pp.
- Tapirs: Status Survey and Conservation Action Plan.* Compiled and edited by Daniel M. Brooks, Richard E. Bodmer and Sharon Matola and the IUCN/SSC Tapir Specialist Group, 1997, viii + 164pp.
- Grebes: Status Survey and Conservation Action Plan.* Compiled by Colin O'Donnel and Jon Fjeldså and the IUCN/SSC Grebe Specialist Group, 1997, vii + 59pp.
- Crocodiles: Status Survey and Conservation Action Plan, 2<sup>nd</sup> Edition.* Edited by J. Perran Ross and the IUCN/SSC Crocodile Specialist Group, 1998, viii + 96pp.
- Hyaenas: Status Survey and Conservation Action Plan.* Compiled by Gus Mills and Heribert Hofer and the IUCN/SSC Hyaena Specialist Group, 1998, vi + 154 pp.
- North American Rodents: Status Survey and Conservation Action Plan.* Compiled and edited by David J. Hafner, Eric Yensen, Gordon L. Kirkland Jr., and the IUCN/SSC Rodent Specialist Group, 1998, x + 171pp.
- Deer: Status Survey and Conservation Action Plan.* Compiled by C. Wemmer and the IUCN/SSC Deer Specialist Group, 1998, vi + 106pp.
- Bears: Status Survey and Conservation Action Plan.* Compiled by C. Servheen, H. Herrero and B. Peyton and the IUCN/SSC Bear and Polar Bear Specialist groups, 1998, x + 306pp.
- Conifers: Status Survey and Conservation Action Plan.* Compiled by A. Farjon and C.N. Page and the IUCN/SSC Conifer Specialist Group, 1999, ix + 121pp.
- African Rhino: Status Survey and Action Plan.* Compiled by Richard Emslie and Martin Brooks and the IUCN/SSC African Rhino Specialist Group, 1999, ix + 92pp.

## Other IUCN/SSC Publications

### **IUCN Red Lists of Threatened Animals and Plants**

Red Lists are lists of all animal or plant species and subspecies that have been assessed according to the IUCN Red List Categories and Criteria. For each species, the category of threat and relevant criteria are shown, together with the range of states in which the species occurs.

### **IUCN Policies and Guidelines**

Policies and Guidelines are short, A5 size booklets offering scientifically-based conservation principles and guidelines to aid decision-making at both the global and national level.

### **Monographs** (arranged by topic)

- CITES
- Crocodiles
- Educational Booklets on Mammals
- Marine Turtles
- Plants
- Trade
- Others

### **Occasional Papers Series**

Occasional Papers include overviews on the conservation status of species and proceedings of meetings.

A more detailed list of IUCN/SSC publications is available from the SSC office, Rue Mauverney 28, CH 1196 Gland, Switzerland. Tel: +41 22 999 0150, Fax: +41 22 999 0015, E-mail: [mcl@hq.iucn.org](mailto:mcl@hq.iucn.org)

## IUCN/Species Survival Commission

The Species Survival Commission (SSC) is one of six volunteer commissions of IUCN – The World Conservation Union, a union of sovereign states, government agencies and non-governmental organizations. IUCN has three basic conservation objectives: to secure the conservation of nature, and especially of biological diversity, as an essential foundation for the future; to ensure that where the earth's natural resources are used this is done in a wise, equitable and sustainable way; and to guide the development of human communities towards ways of life that are both of good quality and in enduring harmony with other components of the biosphere.

The SSC's mission is to conserve biological diversity by developing and executing programs to save, restore and wisely manage species and their habitats. A volunteer network comprised of nearly 7,000 scientists, field researchers, government officials and conservation leaders from nearly every country of the world, the SSC membership is an unmatched source of information about biological diversity and its conservation. As such, SSC members provide technical and scientific counsel for conservation projects throughout the world and serve as resources to governments, international conventions and conservation organizations.

The IUCN/SSC Action Plan series assesses the conservation status of species and their habitats, and specifies conservation priorities. The series is one of the world's most authoritative sources of species conservation information available to nature resource managers, conservationists and government officials around the world.

IUCN Species Survival Commission  
Rue Mauverney 28, CH-1196 Gland, Switzerland.  
Tel: + +41 22 999 01 53, Fax: + +41 22 999 00 15  
E-mail: [lwh@hq.iucn.org](mailto:lwh@hq.iucn.org)

IUCN Publications Services Unit,  
219c Huntingdon Road, Cambridge, CB3 0DL, UK.  
Tel: + +44 1223 277894, Fax: + +44 1223 277175  
E-mail: [info@books.iucn.org](mailto:info@books.iucn.org)

